

CATALOGUE

FOR 1843,

OF A CHOICE COLLECTION

OF

FLORICULTURAL, VEGETABLE,

AND AGRICULTURAL

SEEDS,

COMPRISING UPWARDS OF

ONE THOUSAND SPECIES AND VARIETIES OF FLOWER SEEDS,

AND AMONG OTHERS,

SOME SPLENDID ASSORTMENTS OF

German Asters, Stocks, Zinnias, Hollyhocks,

&c. &c. (Page 4);

BESIDES A NUMEROUS LIST OF OTHER ESTABLISHED

FAVOURITES, AND MANY NEW AND RARE SEEDS,

Well worthy the attention of Florists and Amateurs in general.

~~~~~  
THE LISTS OF VEGETABLE AND AGRICULTURAL SEEDS

WILL BE FOUND TO CONTAIN ALL THE LEADING

AND MOST APPROVED VARIETIES.  
~~~~~

TO BE HAD OF

JAMES CARTER,

SEEDSMAN AND FLORIST,

238, HIGH HOLBORN, LONDON.

** The German Seeds are from the usual source.

[Entered at Stationers' Hall.]

Gift of
Earl Blough
November 1957

THE NECESSARY EXPLANATIONS

Respecting the Linnæan Classes and Orders, the Natural Orders, Duration, Height, Colour of the Flower, Time of Flowering, and Price, in Eight Columns, are given below. The exemplification will be found at Page 5.

1st and 2nd Columns.—The Linnæan Classes and Orders. 3rd.—Natural Orders.

4th Column.—*Hardiness and Duration of each plant.*

h. *hardy*; hh. *half-hardy*; t. *tender*; F. *frame*;—G. *greenhouse*;—S. *Stove perennial*; a. *annual* (last 1 year); b. *biennial* (last 2 years); p. *perennial* (last many years).—Application: ha. *hardy annual*; hha. *half-hardy annual*; ta. *tender annual*; fa. *frame annual*; fgh. *frame or greenhouse*; glh. and gh. *green or hothouse*; sa. *stove annual*; hb. *hardy biennial*; hlb. *half-hardy biennial*, &c. &c.

5th Column.—*Colour*: bl. *blue*; b. & w. *blue and white*, &c.; d. *dark*; l. *light*; d. r. *dark red*; div. *diverse*, &c. &c.; stri. *striped*, &c.

6th Column.—*Usual height of the plant in feet*; tra. *trailer*.

7th Column.—*Usual month of flowering*: 6, *June*; 6-9, *June to September*, &c. &c.

8th Column.—*Price per Packet*. 6d. *Packets may be had of those marked 3d.*, &c.

TIME OF SOWING.—Hardy Annuals, February till June, and in Autumn. Hardy Biennials and Perennials, April till June, and in Autumn. Half-hardy Annuals, &c. in March, April, or May, on a moderate hot-bed. Many of the Biennials and Perennials marked hh will stand the winter without protection; they, as well as the half-hardy Annuals, with few exceptions, may likewise be sown on a warm border early in May. The tender Annuals require more than one hot-bed.

The Greenhouse Climbers marked ** may be planted in the borders in May.

* Dwarf Plants proper for the edgings of beds. ** Ornamental Climbers.

† Biennials, &c. that usually flower the first year; *sp.* *species*, *var.* *variety*.

The dots | ... | ... | ... | ... | indicate a repetition; *pl.* *plures*, many; *ex.* *from*.

I. The 24 Linnæan Classes. (See Miscel. Flower Seeds, 1st Col.)

The Linnæan Classes are founded on the Sexual Organs.

a. Stamens (male organs) equal.		c. Stamens united in sets.	
Classes.	No. 1. Monandria 1 stamen	No. 16. Monadelphia, 1 set	
	2. Diandria 2 stamens	17. Diadelphia, 2 sets	
	3. Triandria 3 "	18. Polyadelphia, many sets	
	4. Tetrandria 4 "	d. Compound Flowers (<i>Asters</i> , &c.).	
	5. Pentandria 5 "	19. Syngensis	
	6. Hexandria 6 "	e. Stamens on the style.	
	7. Heptandria 7 "	20. Gynandria	
	8. Octandria 8 "	f. Male and female separated.	
	9. Eucandria 9 "	21. Monœcia, on one plant	
	10. Decandria 10 "	22. Dioœcia, on different plants	
	11. Dodecandria 12 to 19 S. in the cup	g. Male, female, and hermaphrodite flowers, on one or different plants.	
	12. Icosandria 20 or more S. on the base	23. Polygamia, many marriages	
	13. Polyandria, many Stamens	h. Flowers wanting, or incomplete.	
	b. Stamens unequal.	24. Cryptogamia, hidden marriages (<i>Ferns</i> , <i>Mosses</i> , &c.).	
	14. Didynamia, 2 long, 2 short		
	15. Tetradynamia, 4 " 2 "		

II. The Linnæan Orders. (See Miscel. Flower Seeds, 2nd Column.)

The Linnæan Orders are founded on the Sexual Organs, Seeds, or Pods.

a. Orders founded on the Styles, or female organs.

No. 25. Monogýnia	. 1 style
26. Digýnia	. 2 styles
27. Di-pentagýnia	2 to 5 "
28. Trigýnia	. 3 "
29. Tetragýnia	. 4 "
30. Pentagýnia	. 5 "
31. Hexagýnia	. 6 "
32. Heptagýnia	. 7 "
33. Decagýnia	. 10 "
34. Dodecagýnia	. 12 "
35. Polygýnia	many "

b. On the Stamens (male organs).

36. Monan'dria	. 1 stamen
37. Diandria	. 2 stamens
38. Triandria	. 3 "
39. Tetrandria	. 4 "
40. Pentandria	. 5 "
41. Hexandria	. 6 "
42. Heptandria	. 7 "
43. Octandria	. 8 "
44. Enneandria	. 9 "
45. Decandria	. 10 "
46. Dodecandria	. 12 "
47. Icosandria	. 20 "

No. 48. Polyandria many stamens c. On the sets of Stamens.

49. Monadelphia, 1 set.

d. Styles and stamens united.

50. Gynandria

e. Male and female separate.

51. Monœ'cia, on one plant

52. Dicœ'cia, on different plants

f. On the Polygamy.

53. { Polygámia æqualis, or Equal Polygamy

54. { Polygámia superflua Superfluous Polygamy

55. { Polygámia frustræa Frustrated Polygamy

56. { Polygámia necessariæ Necessary Polygamy

57. { Polygámia segregata Separated Polygamy

g. On the Seeds.

58. { Gymnosper'mia Naked seeds

59. Angiosper'mia, in a capsule h. On the Pods.

60. Siliculôsa, a small pod

61. Siliquôsa, a long pod.

III. The Natural Orders. (See Miscel. Flower Seeds, 3rd Column.)

The Natural Orders are founded on Structural Affinities.

62. Acanthaceæ	81. Crassulaceæ	106. Loasaceæ	128. Proteaceæ
63. Amaranthaceæ	85. Crucifereæ	107. Lobeliaceæ	129. Ranunculaceæ
64. Amaryllidaceæ	86. Cucurbitaceæ	108. Lythraceæ	130. Resedaceæ
65. Aquifoliaceæ	87. Dipsaceæ	109. Magnoliaceæ	131. Rosaceæ
66. Apocynaceæ	88. Ericaceæ	110. Marantaceæ	132. Rutaceæ
67. Aristolochiaceæ	89. Euphorbiaceæ	111. Malvaceæ	133. Saxifragaceæ
68. Asclepiadaceæ	90. Ficoideæ	112. Melastomaceæ	134. Scrophulariaceæ
69. Balsaminaceæ	91. Fumariaceæ	113. Myrsinaceæ	135. Sesameæ
70. Berberidaceæ	92. Gramineæ	114. Myrtaceæ	136. Silenaceæ
71. Bignoniaceæ	93. Gentianaceæ	115. Nyctaginaceæ	137. Solanaceæ
72. Boraginaceæ	94. Geraniaceæ	116. Nymphaeaceæ	138. Stellateæ
73. Bruniaceæ	95. Gesneriaceæ	117. Onagraceæ	139. Sterculiaceæ
74. Byttneriaceæ	96. Grossulariaceæ	118. Oxalidaceæ	140. Stylidiaceæ
75. Cactaceæ	97. Hamodoriaceæ	119. Palmæ	141. Thymelaceæ
76. Campanulaceæ	98. Hydrophyllaceæ	120. Papaveraceæ	142. Tiliaceæ
77. Capparidaceæ	99. Hypericaceæ	121. Passifloraceæ	143. Tropæolaceæ
78. Celastraceæ	100. Iridaceæ	122. Pittosporaceæ	144. Umbellifereæ
79. Cistaceæ	101. Labiataæ	123. Polemoniaceæ	145. Valerianaceæ
80. Cobaceæ	102. Leguminosæ	124. Polygalaceæ	146. Verbenaceæ
81. Commelinaceæ	103. Liliaceæ	125. Polygonaceæ	147. Violaceæ
82. Compositæ	104. Linnanthaceæ	126. Portulacææ	148. Zygophyllaceæ
83. Convolvuliaceæ	105. Linaceæ	127. Primulaceæ	

The names of the Natural Orders ending in *aceæ* are chiefly derived from generic names, as *Campanulaceæ* from *Campanula*, a plant with bell-shaped flowers, the type of the order. Such as end in *æ* only are not derived from generic names, as *Compositæ*, *Palmæ*, &c., the latter of which comprehends the whole of the magnificent tribe of *Palms*, comprising upwards of forty known genera.

ASSORTMENTS

OF

GERMAN FLOWER SEEDS

IN THE ORIGINAL SEALED PACKETS.

. *The Smaller Packets are only adapted for Small Gardens.*

		s.	d.
No. 1.	32 splendid varieties quilled German Aster	8	0
2.	The same in smaller Packets	5	0
3.	12 very fine varieties quilled German Aster	4	0
4.	The same in smaller Packets	2	6
5.	8 fine varieties Pyramidal German Aster	2	6
6.	The same in smaller Packets	1	6
7.	16 fine varieties Dwarf German Aster	5	0
8.	The same in smaller Packets	3	0
9.	60 varieties German Stock	17	6
10.	The same in smaller Packets	10	0
11.	25 very fine varieties Dwarf German Stock	8	0
12.	The same in smaller Packets	5	0
13.	12 finest varieties Dwarf German Stock	5	0
14.	The same in smaller Packets	3	0
15.	12 finest varieties Branching German Stock	3	6
16.	The same in smaller Packets	2	0
17.	12 fine varieties Wallflower-leaved German Stock ..	4	0
18.	The same in smaller Packets	2	6
19.	15 very fine varieties Autumnal Nosegay Stock ..	5	0
20.	The same in smaller Packets	3	0
21.	16 fine varieties Winter or Biennial Stock	4	6
22.	The same in smaller Packets	3	0
23.	8 very fine varieties Winter or Biennial Stock ..	2	6
24.	The same in smaller Packets	1	6
25.	12 finest varieties German Wallflower	5	0
26.	The same in smaller Packets	3	0
27.	12 finest varieties German Dwarf Larkspur	3	0
28.	8 very fine varieties German Tall Larkspur	2	0
29.	20 fine varieties Double Poppy	4	0
30.	8 extra fine varieties <i>Scabiosa grandiflora</i>	2	6
31.	16 very fine varieties Cockscomb	5	0
32.	16 finest varieties Double Balsam	4	0
33.	12 finest varieties French and African Marigold ..	2	6
34.	36 very fine varieties Double Hollyhoek	7	0
35.	24 extra fine varieties <i>Zinnia elegans</i>	8	0
36.	12 ditto ditto	5	0

CATALOGUE.

N.B. The Numbers 1 to 24 represent the 24 Linnæan Classes (see Column 1st), whereas those indicating the Linnæan Orders (2nd Column) and the Natural Orders (3rd Column) are arbitrary; their signification is given above (see Page 2nd). Example, *Adenóphora*, 5, 25, 76, belongs to the 5th Linnæan Class, *Pentandria*, the flower having 5 Stamens; to the Linnæan Order *Monogynia*, from its having 1 Style (Pistillum); and to the Natural Order *Campanulæææ*, plants with Bell-shaped Flowers.

MISCELLANEOUS FLOWER SEEDS.

The following Plants, with few exceptions, and these, if necessary, are indicated, have no popular name; thus *Adenóphora suaveolens* is rendered *Fragrant Adenóphora*, &c.—In giving orders it is sufficient to mention the number.

A—indicates a variety. () That the word is not literally translated, or is superadded.		THE ACCENTS.											

A—indicates a variety. () That the word is not literally translated, or is superadded.

No.		L. C.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price s. d.
65	Amphicome arguta**	<i>finely-cut</i>	14	59	71	hlp	li.	7-8	1 0
66	Anagallis carnea	<i>flesh-coloured</i>	5	25	127	ha	fl.	1	3
67	indica	<i>Indian</i>	bl.	3
68	Monelli	<i>Monelli's</i>	6-9	6
69	— Philipsi	<i>Philips'</i>	fp†	1 0
70	— — —	<i>(finest mixed)</i>	div.	1 0
71	Anchusa paniculata	<i>panieled</i>	72	hp	s. bl.	2	6-8
72	— — —	<i>A species, mixed</i>	bl.	4
73	Ancuone coronaria	<i>garland (Poppy)</i>	13	35	129	hpt	div.	1½	5-7
74	hortensis	<i>garden (Star)</i>	1	...	6
75	Pulsatilla	<i>(Pasque-flower)</i>	vio.	½	...	6
76	vitifolia	<i>vine-leaved</i>	fp	wh.	1	6
77	Anoda Dilleniana	<i>Dillenius's</i>	16	48	111	ha	bl.	2	7-8
78	Aquilegia formosa	<i>beautiful</i>	13	30	129	hp	r&o.	...	5-7
79	canadensis	<i>Canadian</i>	4
80	— elatior	<i>— taller</i>	2½	...	4
81	glandulosa	<i>glandular</i>	2	...	4
82	grandiflora	<i>large-flowered</i>	bl.	4
83	sibirica	<i>Siberian</i>	w&b	4
84	speciosa	<i>showy</i>	4
85	stellata	<i>starry</i>	4
86	viscosa	<i>viscous</i>	pur.	4
87	— — —	<i>(fine mixed)</i>	div.	6
88	Ardisia crenulata	<i>crenulate</i>	5	25	113	S.	red	10	6-9
89	Argemone grandiflora	<i>large-flowered</i>	13	...	120	ha	wh.	2	7-9
90	mexicana	<i>Mexican</i>	yel.	3
91	— alba	<i>— white</i>	wh.	3
92	speciosa	<i>showy</i>	yel.	4
93	— — —	<i>(fine mixed)</i>	w&y	4
94	Argyrea eumifolia**	<i>wedge-leaved</i>	5	...	83	S.	pur.	10	...
95	Aristolochia chilensis**	<i>Chile</i>	20	41	67	G.	p&y.	...	1 0
96	Asclepias curassavica	<i>Curassoa</i>	5	26	68	hgh	sc.	2	7-9
97	gigantea	<i>gigantic</i>	w&p	6	...	1 0
98	asthmatica**	<i>asthmatic</i>	8	6
99	pneumonanthe	<i>wind-flower</i>	6-8	6
100	tuberosa	<i>tuberous</i>	hlp	or.	2	7-9
101	sp. ex Coquimbo	<i>(species Chile)</i>	1 0
102	Aster incisus	<i>cut (leaved)</i>	19	54	82	hpt	bl.	1	6-8
103	tenellus	<i>slender</i>	3
104	Aubretia purpurea	<i>purple</i>	15	60	85	hp	pur.	4	5-6
105	Azalea, sp. pulchella	<i>pretty species</i>	5	25	88	6
106	Balbisia peduncularis	<i>long-peduncled</i>	10	30	118	G.	yel.	1	7-8
107	Baptisia australis	<i>southern</i>	...	25	102	hpt	bl.	2	6-8
108	alba	<i>white</i>	wh.	4
109	Bartonia aurea	<i>golden</i>	13	...	106	ha	yel.	...	7-9
110	Baulinia purpurea	<i>purple</i>	10	...	102	S.	pur.	6	6-8
111	racemosa**	<i>cluster-flowered</i>	pink	15	...
112	— — —	<i>6 fine species</i>	div.	2 6
113	Beaumontia grandiflora	<i>large-flowered</i>	5	...	66	...	wh.	15	...
114	Bignonia, 4 sp.	<i>(4 fine species)</i>	14	59	71	div.	1 0

A — indicates a variety. () That the word is not literally translated, or is superadded.

No.		L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
		L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
165	Campánula	Nos. 154 to 164	5	25	76			feet		s. d.
166	Canna, pl. sp.	several species	1	...	110					3 0
167	Carthamus tinctorius	Dyers'	19	53	82	G.	div.	2	6-9	1 0
168	Cassia, 4 sp.	4 species	10	25	102	S.	yel.	div.	7-9	3
169	Catananche cærùlea	blue	19	53	82	hpt	bl.	2	7-9	1 0
170	— bicolor	two-coloured.	w&p	3
171	— lutea	yellow	ha	6
172	Ceanòthus capensis	Cape	5	25		G.	wh.	3	5-7	1 0
173	— asiaticus	Asiatic	S.	sul.	10	7-4	1 0
174	Celastrus lucidus	shining	78	G.	wh.	2	5-9	6
175	Celsia erética	Cretan	14	59	137	hp	yel.	6	7-8	3
176	— orientalis	Oriental	ha	l.y.	1½	...	3
177	Centaurea americana	American	19	55	82	hha	red	2	8-9	6
178	— atropurpurea	dark purple	hpt	pur.	...	7-9	4
179	— chilensis	Chilean	1 0
180	— depressa	(dworf)	ha	b&r.	1	7-8	6
181	Cereus triangularis	triangular	12	25	75	S.	wh.	...	8-9	1 0
182	Cestrum nocturnum	(fragrant)	5	...	137	7	...	6
183	Chamaerops Palmetta	Palmetta	23	52	119	...	g&w	20	3-6	1 0
184	Chelone barbata	bearded	14	59	134	hpt	se.	2	7-9	6
185	— elegans	elegant	div.	1 0
186	Chironia frutescens	shrubby	5	25	93	fgh	red	1½	6-9	6
187	Chorozema ilicifolia	Holly-leaved	10	...	102	G.	e&y.	2½	6-8	6
188	Cineraria, pl. var. ext.	ect. fine, mixed	19	54	82	...	div.	1½	6-9	1 0
189	Cistus, pl. sp. et var.	fine mixed	13	25	79	hpt	...	2	...	1 0
190	Cladanthus arabicus	Arabian	19	54	82	ha	yel.	1½	7-8	3
191	Clarkia gauroides	Gaura-like	8	25	117	...	pur.	2	...	3
192	— elegans	elegant	li.	3
193	— rosea et plena	rose and double	rose	3
194	— pulchella	pretty	1½	...	3
195	— alba	— white	wh.	4
196	— grandiflora	— large-flowered	d.r.	4
197	— — —	Nos. 191 to 196	div.	1 6
198	— — —	fine mixed	3
199	Clenatis, sp. aBa**	white species	13	35	129	G.	wh.	10	7-9	1 0
200	Cleome pentaphylla	five-leaved	15	61	77	hha	rose	2	7-8	4
201	— speciosa	showy	wh.	6
202	— spinosa	spiny	red	4
203	Clanthus puniceus	crimson	17	45	102	G.	er.	6	6-8	6
204	Clintonia elegans	elegant	16	40	107	hha	bl.	1½	7-8	6
205	— pulchella	(most beautiful)	3eo.	1	...	1 0
206	Clitoria virginiana	Virginian	17	45	102	S.	bl.	6	...	1 0
207	— 2 sp.	(2 fine species)	1 0
208	Cristaria, 3 sp. ex Chile	3 Chilean species	16	48	111	hha	o&s.	1½	...	1 0
209	Cobaea scandens**	climbing	5	25	80	G.	pur.	30	6-9	6
210	Collinsia bicolor	two-coloured	14	59	134	ha	w&p	1½	7-8	3
211	— grandiflora	large-flowered	p&b.	1	...	3
212	— heterophylla	various-leaved	w&r.	1½	...	4
213	— verna	vernal	b&p.	1	...	3
214	Collomia coccinea	scarlet	5	25	123	...	se.	3

<i>A—indicates a variety. () That the word is not literally translated, or is superadded.</i>		Cl.	O.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.		L.	L.	N.			feet		s. d.
215	<i>Commelina caelestis</i>	3	25	81	hhpt	bl.	1½	6-8	6
216	<i>Convolvulus</i> , 4 sp.	5	...	83	hgh	div.			6
217	<i>Correa virens</i>	8	...	132	G.	gr.	6	5-9	1 0
218	<i>Corydalis glauca</i>	17	41	91	ha	p & y	2	7-9	3
219	<i>nobilis</i>	hhpt	l. & y.	1	5-7	6
220	<i>Cosmanthus fimbriatus</i>	lha			7-8	6
221	<i>Cosmea bipinnata</i>	19	55	82	...	pur.	2	8-9	6
222	<i>Crotalaria latifolia</i>	16	45	102	S.	yel.	...		6
223	<i>pulcherrima</i>		6
224	4 sp.		6
225	<i>Cuphea silenoides</i>	11	25	108	ha	vio.	1½	7-9	6
226	<i>procumbens</i>	pur.	...		3
227	<i>Curtisia faginea</i>	4	25	65	G.	pale			1 0
228	<i>Cyclamen</i> , 2 sp.	5	...	127	hhp			4-8	6
229	<i>Cylista scariosa</i> [tum <i>searious</i>	17	45	102	S.	yel.			6
230	<i>Cynoglossum glochidæ-</i>	5	25	72	hhpt	bl.	3		6
231	<i>Cytisus plumosus</i>	16	45	102	G.			5-6	6
232	<i>Datura cerasotocaula</i>	5	25	137	hha	stri.	3	7-9	4
233	<i>fastuosa</i>	pur.	2		4
234	— <i>alba</i>	wh.	...		4
235	<i>Stramonium</i>	b & w	...		4
236	<i>Decaneuron grande</i>	S.				6
237	<i>Delphinium azureum</i>	13	28	129	hhpt	bl.	5		3
238	<i>americanum</i>	l. h.	3			3
239	<i>americanum</i>	var.	2			3
240	<i>chinense</i>	bl.	...			3
241	— <i>flore albo</i>	wh.	...			4
242	— <i>flore pleno</i>	w & b	...			6
243	— — —	6	var. sep.	div.	...		2 6
244	<i>elatum</i>	5		3
245	<i>grandiflorum</i>	div.	2		6
246	<i>gratum</i>	bl.	...		4
247	<i>laciniatum</i>		4
248	<i>lazulinum</i>	d. b.	...		4
249	<i>Menziesii</i>	bl.	2½		4
250	<i>mexicanum?</i>	l. b.	3		6
251	<i>palmatifidum</i>	b.	...		4
252	<i>procerrum</i>	4		4
253	<i>speciosum</i>	3		4
254	<i>sulcatum</i>	2		4
255	<i>triste</i>		6
256	<i>urceolatum</i>		6
257	— — —	Nos. 237 to 256	div.			7 0
258	— — —	very fine mixed			1 0
259	<i>Desmodium gyroides</i>	17	45	102	hgh	pur.	5		1 0
260	4 sp.	div.	div.		1 0
261	<i>Dianthus alpinus</i>	10	26	136	hhpt	er.	½	6-8	4
262	<i>capitatus*</i>	d. r.	1		6
263	<i>Carthusianorum</i>	red	1½		3
264	<i>chiuensis</i> , fl. pl.*	hhpt	div.	1		6

<i>A— indicates a variety. () That the word is not literally translated, or is superadded.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
265	<i>Dianthus collinus</i>	<i>mountain</i>	10	26	136	hpt	bord	1	6-8	4
266	<i>giganteus</i>	<i>gigantic</i>	3	...	6
267	<i>guttatus*</i>	<i>spotted</i>	spot.	1	...	4
268	<i>hispanicus*</i>	<i>Spanish</i>	hb†	er.	4
269	<i>— splendens*</i>	<i>— splendid</i>	sc.	6
270	<i>hybridus*</i>	<i>hybrid</i>	var.	4
271	<i>latifolius</i>	(<i>China Pink</i>)	div.	4
272	<i>monadelphus</i>	<i>monadelphous</i>	hpt	w&p	4
273	<i>plumarius, fl. p.</i>	<i>dou. feathered</i>	div.	6
274	<i>pulchellus*</i>	<i>pretty</i>	6
275	<i>fimbriatus</i>	<i>fringed</i>	6
276	<i>superbus</i>	<i>superb</i>	lil.	1½	...	3
277	— — —	<i>Nos. 261 to 276</i>	5 0
278	<i>Didiscus caruleus</i>	<i>bl. (Traehymène)</i>	5	25	144	hha	s. bl.	2½	7-9	6
279	<i>Digitalis grandiflora</i>	<i>large-flowered</i>	14	59	134	hpt	sul.	3	...	4
280	<i>aurea</i>	<i>golden</i>	or.	2	...	4
281	<i>gigantea</i>	<i>gigantic</i>	4
282	<i>lutea</i>	<i>yellow</i>	ycl.	2	...	4
283	<i>purpurea</i>	<i>purple</i>	pur.	3	...	3
284	<i>— alba</i>	<i>— white</i>	wh.	3
285	<i>— bicornuta</i>	<i>— two-horned</i>	6
286	— — —	<i>Nos. 279 to 285</i>	2 0
287	<i>Diosma, 3 sp.</i>	(<i>3 fine sp.</i>)	5	25	132	G.	div.	...	4-9	1 0
288	<i>Diplacus puniceus</i>	<i>scarlet</i>	14	59	134	hhpt	sc.	2	7-9	6
289	<i>Dodecatheon Meadia</i>	<i>Meadia</i>	5	25	127	fgh	div.	1	5-7	1 0
290	<i>Dolichos lignosus**</i>	<i>woody</i>	17	45	102	hhpt	pur.	12	6-8	6
291	<i>speciosus**</i> [nense]	<i>showy</i>	1 0
292	<i>Dracocéphalum argu-</i>	<i>Argun</i>	14	58	101	hpt	bl.	1½	7-9	6
293	<i>canaricense</i>	(<i>Balm of Gilead</i>)	p&p	2½	...	6
	<i>Eccremocarpus</i>	<i>see Calampelis</i>
294	<i>Echinocactus, 3 sp.</i>	(<i>3 fine sp.</i>)	12	25	75	S.	div.	1 0
295	<i>Ottouis</i>	<i>Pr. Otto's</i>	1 0
296	<i>Echium grandiflorum</i>	<i>large-flowered</i>	5	...	72	hpt	rose	2½	7-9	6
297	<i>Elichrysium macranthum</i>	<i>large-flowered</i>	19	54	82	hha	fl.	2	...	4
298	<i>6 sp. et var.</i>	(<i>6 fine sorts</i>)	div.	2 0
299	<i>maritimum</i>	<i>sea</i>	G.	w&y	4	6-8	6
300	<i>speciosissimum</i>	<i>most-showy</i>	wh.	6	7-9	1 0
301	<i>Stæbelina</i>	<i>Stæbelina</i>	1½	year.	6
302	<i>variegatum</i>	<i>variegated</i>	var.	2	5-7	6
303	<i>Erica, 30 sp.</i>	(<i>30 fine sp.</i>)	8	25	88	...	div.	div.	div.	2 6
304	<i>Eriostemon buxifolia</i>	<i>box-leaved</i>	10	...	132	...	pink	2	5-8	1 0
305	<i>Erinus alpinus</i>	<i>alpine</i>	14	59	134	hpt	li.	½	4-6	3
306	<i>hispanicus</i>	<i>Spanish</i>	red	3
307	<i>Erysimum alpinum*</i>	<i>alpine</i>	15	61	85	hb†	ycl.	1	5-7	4
308	<i>Peroffskiannum*</i>	<i>Peroffski's</i>	ha	or.	1½	6-9	6
309	<i>Erythrina caffra</i>	<i>Caffrarian</i>	17	45	102	G.	sc.	6	7-9	1 0
310	<i>indica</i>	<i>Indian</i>	S.	1 0
311	<i>velutina</i>	<i>velvety</i>	1 6
312	<i>Erythrolæna conspēna</i>	<i>conspicuous</i>	19	53	82	hhpt	...	6	6-9	6
313	<i>Eschscholzia crōcea</i>	<i>orange</i>	13	29	120	hpt	or.	2	...	3

* A — indicates a variety. () That the word is not literally translated, or is superadded.		Cl.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.		
No.		L.	L.	N. O.	H. & Dur.	Col. of Fl.	feet		s. d.		
314	<i>Eschscholzia californica</i>	Californian	13	29	120	hpt	yel.	2	6-9	3	
315	<i>compacta</i>	compact	1	3	
316	<i>Eschynomène</i> , sp.	(fine species)	17	45	102	S.	6	
317	<i>Eucalyptus Drummondii</i>	Drummond's	12	25	114	hht	1	0	
318	<i>Eucaridium concinnum</i> *	neat	8	...	117	ha	pur.	1	7-8	6	
319	<i>Euphorbia</i> , sp. variegata	variegated	11	28	89	G.	var.	6	
320	<i>Eutoca divaricata</i>	divaricate	5	25	98	ha	...	1	...	3	
321	<i>multiflora</i>	many-flowered	fl.	3	
322	<i>viscida</i>	viscid (fine)	bl.	3	
323	<i>Wrangeliana</i>	Pr. Wrangel's	li.	3	
324	<i>Evolvulus</i> , sp. Argueros	(fine sp. Chile)	...	26	83	G.	1	0	
325	<i>Fedia cornucopie</i>	(Horn of Plenty)	2	25	145	ha	red	1	7-8	3	
326	<i>Francia appendiculata</i>	appendicled	8	29	...	hpt	pink	1½	...	6	
327	<i>Gaillardia bicolor</i>	two-coloured	19	55	82	...	or.	2	...	4	
328	<i>Drummondii</i>	Drummond's	c&r.	6	
329	— coccinea	— scarlet	sc.	6	
330	4 sp.	(fine mixed)	div.	6	
331	<i>Gardena latifolia</i>	broad-leaved	5	25	...	hgh	p. y.	6	1-5	1	0
332	<i>Thunbergiana</i>	Thunberg's	G.	wh.	1	0
333	<i>Genista fragrans</i>	fragrant	16	45	102	2	6-8	6	
334	2 sp.	(2 fine species)	6	
335	<i>Gentiana acanlis</i>	stemless	5	26	93	hpt	bl.	1	4-7	6	
336	— — —	fine mixed	2	4-8	6	
337	<i>Gesnera magnifica</i>	magnificent	14	59	95	S.	sc.	...	7-9	1	0
338	8 sp.	(8 fine sp. mixed)	o&s.	1	0
339	<i>Gem coccineum</i>	scarlet	12	35	131	hpt	sc.	3	
340	— flore-pleno	— double	6	
341	— — —	4 fine var. m.	6	
342	<i>Gilia achilliaefolia</i>	Milfoil-leaved	5	25	123	ha	bl.	...	7-8	3	
343	<i>splendens</i>	splendid	1½	...	6	
344	<i>temifolia</i>	fine-leaved	rose	6	
345	<i>tricolor</i>	three-coloured	3 co.	3	
346	— albo-carulea	white and blue	w&b	3	
347	— — —	Nos. 342 to 346	div.	1	6
348	<i>Gladiolus Herbertianus</i>	(20 splendid var.)	3	...	100	fp.	...	2	7-9	2	6
349	<i>Gloriosa superba</i> **	superb	6	...	103	S.	or.	6	...	1	6
350	<i>Gloxinia caudata</i>	snow-white	14	59	95	hgh	wh.	1½	6-9	1	0
351	12 sp. and var.	(12 fine s. mixed)	div.	2	6
352	<i>Glycine</i> , 2 sp.	(2 fine sp. mixed)	17	45	102	1	0
353	<i>Godetia (Enothera)</i>	(fine mixed)	8	25	117	ha	div.	1	6-8	3	
354	<i>bifrons</i>	two-fronted	p&c.	...	7-8	3	
355	<i>concinna</i>	neat	p&r.	1	...	3	
356	<i>lepida</i>	pretty	lil.	1	...	3	
357	<i>Lindleyana</i>	Dr. Lindley's	w&r	3	
358	<i>purpurea</i>	purple	pur.	3	
359	<i>quadrivulnera</i>	four-spotted	spot.	3	
360	<i>Romanzovii</i>	Romanzow's	pur.	3	
361	<i>rosea</i>	rose	hpt	rose	...	5-9	3	
362	<i>rosco-alba</i>	rose and white	ha	r & w	...	7-8	3	
363	<i>rubicunda</i>	blushing	pur.	1½	...	3	

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.							feet		s. d.
364	Godetia tenuifolia	<i>fine-leaved</i>	8 25	117	ha	vio.	1	7-8	3
365	viminea	<i>twiggy</i>	li.	3	...	3
366	vinosa	<i>wine-coloured</i>	l. p.	1	...	3
367	Wildenowii	<i>Wildenow's</i>	fl.	3
368	— — —	<i>Nos. 354 to 367</i>	3 0
369	Gompholobium, 4 sp.	<i>(4 fine species)</i>	10	...	102	G.	yel.	2	1 6
370	Gardouia, sp. ex Coq.	<i>(Chilean species)</i>	14 59	101	1 0
371	Gossypium egyptiacum?	<i>(Egyp. Cotton)</i>	16 48	111	S.	...	3	7-9	6
372	herbaceum	<i>herbaceous</i>	yel.	6
373	— rubro-album	<i>— red and white</i>	6
374	Grindelia, sp. ex Argueros	<i>(Chilean species)</i>	19 54	82	hlp†	wh.	1	...	1 0
375	Grislea tomentosa	<i>woolly (fæ)</i>	8 25	108	S.	red	3	5-6	6
376	Gypsophila elegans	<i>elegant</i>	10 26	136	ha	w&p	3	7-8	3
377	Hedysarum, 4 sp.	<i>(4 Indian sp.)</i>	17 45	102	hgh	div.	2½	6-8	1 0
378	Helianthemum, pl. var.	<i>(beautiful mixed)</i>	13 25	79	hpt†	...	1	...	1 0
379	Helianthus, sp. ex Huasco	<i>(Chilean species)</i>	19 55	82	h	1 0
380	Heliophila araboides	<i>Arabis-like</i>	15 61	85	hha	bl.	3	...	6
381	Heliotropium peruvian.	<i>Peruvian</i>	5 25	72	G.	...	2½	5-9	6
382	sp. ex Coquimbo	<i>(Chilean species)</i>	wh.	1 0
383	Hibiscus africanus	<i>African</i>	16 48	111	hha	s&b.	2	7-8	3
384	Humboldti	<i>Humboldt's</i>	y&b.	3
385	Richardsoni	<i>Richardson's</i>	3
386	Triënum	<i>(Blader Kelmia)</i>	3
387	vesicarius	<i>bladder (flowd.)</i>	3
388	— — —	<i>Nos. 383 to 387</i>	1 0
389	palustris	<i>marsh (fine)</i>	hpt†	...	3	6-9	6
390	Manihot	<i>Manihot</i>	hgh	sul.	6
391	macrophyllus	<i>long-leaved</i>	yel.	10	...	1 0
392	mutabilis	<i>variable</i>	var.	1 0
393	rigidus	<i>rigid</i>	1 0
394	tortuosus	<i>twisted</i>	1 0
395	violaceus	<i>violet</i>	1 0
396	— — —	<i>Nos. 390 to 395</i>	4 0
397	— — —	<i>5 sp. mixed</i>	div.	1 0
398	Hövea Celsi	<i>Cels's</i>	...	45	102	G.	bl.	6	1 0
399	sp. nova, No. 1.	<i>new sp. No. 1.</i>	5-8	1 6
400	sp. nova, No. 2.	<i>new sp. No. 2.</i>	1 6
401	5 sp.	<i>(5 fine sp. mixed)</i>	div.	1 6
402	Hünea elegans [fölia]	<i>elegant</i>	19 53	82	hhp	red	...	6-9	6
403	Hummamia fumarica-	<i>Fumaria-leaved</i>	13 25	120	hpt†	yel.	2	7-8	6
404	Hymenocallis, sp.	<i>(fine sp. frag.)</i>	6	...	64	G.	wh.	...	1 0
405	Iberis Tenoreana	<i>Tenore's</i>	15 60	85	hpt†	p&p.	3	6-8	6
406	Impatiens tricornis	<i>three-horned</i>	5 25	69	hli	yel.	2½	7-9	6
407	glanduligera	<i>glandular</i>	pur.	6
408	Indigöfera cytisoides	<i>Cytisus-like</i>	17 45	102	G.	red	3	...	6
409	Ipomæa bona nox**	<i>Good Night!</i>	5 25	83	hgh	wh.	10	...	6
410	coccinea**	<i>scarlet</i>	G.	sc.	4	...	6
411	Learii**	<i>Lear's</i>	hgh	pur.	8	...	3 6
412	polyanthes**	<i>many-flowered</i>	S.	sul.	20	...	1 0
413	Quandeliit**	<i>(bright scarlet)</i>	hgh	sc.	4	...	6

<i>A—indicates a variety. () That the word is not literally translated, or is superadded.</i>		L.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.							feet		s. d.
414	<i>Ipomæa rubro-cærulea</i> **	(sky-blue)	5	25	83	G.	bl.	10	7-9 2 6
415	<i>Sellowii</i> **	<i>Sellow's</i>	2 6
416	4 sp. <i>occidentalis</i> **	(4 fine species)	S.	div.	...	2 6
417	<i>Nij</i> **	(blue-flowered)	hha	bl.	...	6
418	<i>purpurea grandiflora</i>	large purple**	pur.	...	1 0
419	— — —	[picta] <i>Nos. 409 to 418</i>	12s
420	<i>Ipomopsis elegans</i> and	<i>elegant and p.</i>	123	hhp†	sc.	3	1 0
421	<i>Kennedia prostrata</i> **	<i>prostrate</i>	17	45	102	G.	...	tra.	6-9 6
422	<i>rubicunda</i> **	<i>blushing</i>	red	8	...
423	sp. <i>cærulea</i> **	<i>blue</i>	blue	...	1 0
424	sp. <i>coccinea</i> **	<i>scarlet</i>	sc.	...	1 0
425	<i>Kaulfussia amelloides</i>	<i>Amellus-like</i>	19	54	82	hha	bl.	1	7-8 3
426	<i>Lantana Selloviæna</i>	<i>Sellow's</i>	14	59	146	hbp†	pur.	1½	6-9 6
427	<i>Lasthènia</i> , 2 sp.	2 species	19	54	82	ha	yel.	2	7-8 6
428	<i>Láthyris azureus</i>	<i>azure</i>	17	45	102	...	bl.	2	...
429	<i>latifolius</i> **	<i>broad-leaved</i>	hpf†	pink	8	6-8 3
430	— <i>albus</i> **	— <i>white</i>	wh.
431	<i>sphæricus</i>	<i>spherical</i>	er.	2	...
432	<i>Lavatera arborea</i>	<i>tree</i>	16	48	111	hp	pur.	6	...
433	<i>Salvitellensis</i>	<i>Salvitella</i>	ha	pink	2	...
434	<i>Lawsônia alba</i> **	(<i>Mignonette tree</i>)	8	25	108	hgh	wh.	8	...
435	<i>Leptósiphon densiflorus</i>	<i>thick-flowered</i>	5	...	123	ha	pur.	1	...
436	<i>androsæcus</i>	<i>Androsace-like</i>	b&w	¾	...
437	— <i>albus</i>	— <i>white</i>	wh.
438	<i>Leucadendron argenteum</i>	(<i>Silver Tree</i>)	22	39	128	G.	yel.	12	7-9 6
439	<i>plumòsum</i> [pum]	<i>feathery</i>	6
440	<i>Leucospermum conocar-</i>	<i>cone-fruited</i>	4	25	128	6
441	<i>Limnanthes Douglasii</i>	<i>Douglas's</i>	10	...	104	ha	w&y	...	7-8 4
442	<i>Linária alpina</i>	<i>alpine</i>	14	59	134	fpt†	bl.	1	7-8 4
443	<i>Perèzii</i>	<i>Perez'</i>	ha
444	<i>triphylla</i>	<i>three-leaved</i>	y&p
445	— — —	(7 pretty sp.)	div.	...	1 6
446	<i>Linum austriacum</i>	<i>Austrian</i>	5	30	105	hpf†	bl.	2	...
447	<i>monógynum</i>	<i>one-styled</i>	G.	wh.	3	...
448	<i>Lisianthus Russellianus</i>	(<i>D. of Bedford's</i>)	...	25	93	...	pur.	...	1 0
449	<i>Loasa tricolor</i>	<i>three-coloured</i>	18	48	106	ha	3-co.	2	7-9 3
450	<i>lateritia</i> **	(<i>orange</i>)	hlp†	or.	6	...
451	<i>lúcida, nova</i> **	<i>shining, new</i>	yel.	...	2 6
452	<i>Herberti</i> **	<i>Hon. W. Herbert's</i>	6
453	<i>Pentlandica</i>	<i>Mr. Pentland's</i>	6
454	— — —	<i>Nos. 449 to 453</i>	3 6
455	<i>Lobelia azurea</i>	<i>azure</i>	5	25	107	hlp†	bl.	1	5-9 4
456	<i>crinoides</i>	<i>Erinus-like</i>	1½	6-8 4
457	<i>gracilis et alba</i>	<i>slender, 2 var.</i>	ha	b&w	1	7-9 6
458	<i>propinqua</i>	<i>related</i>	sc.	4	...
459	sp. ex <i>Coquimbo</i>	(<i>sp. Chile, No. 1.</i>)	hlp	pur.	3	...
460	sp. <i>nova superba</i>	(<i>sp. Chile, No. 2.</i>)	2 6
461	— — —	[cens] <i>Nos. 455 to 460</i>	4 0
462	<i>Lophospermum crubes-</i>	<i>blushing</i>	14	59	134	G.†	pur.	...	7-9 4
463	<i>atrosanguineum</i> **	(<i>Rhodochiton</i>)	d. r.	10	...

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
464	<i>Lophospermum scandens</i>	<i>climbing**</i>	14	59	134	G.†	bl.	10	7-9	4
465	— <i>spectabile**</i>	— (<i>new showy</i>)	spot	6
466	— <i>Hendersonii**</i>	<i>Hendersoni's</i>	rose	1 0
467	— — —	<i>Nos. 462 to 466</i>	2 6
468	<i>Lötus jacobæus</i>	<i>St. James' Island</i>	17	45	102	...	dark	1	...	6
469	<i>Lupinus bicolor</i>	<i>two-coloured</i>	16	ha	p&b.	3
470	<i>Hartwegii</i>	<i>Hartweg's</i>	b&w	2	...	4
471	<i>mexicanus</i>	<i>Mexican</i>	bl.	1½	...	3
472	<i>mutabilis</i>	<i>variable</i>	b & y	3	...	3
473	— <i>Cruikshanksii</i>	<i>Cruikshanks</i>	var.	3
474	<i>nanus</i>	<i>dwarf</i>	p & b	1	...	3
475	— — —	<i>Nos. 469 to 474</i>	1 6
476	<i>arboreus</i>	<i>tree</i>	hp†	yel.	4	...	4
477	<i>elegans</i>	<i>elegant</i>	b & r.	2	...	6
478	<i>ornatus</i>	<i>ornamented</i>	lil.	6
479	— — —	<i>12 fine per. sp.</i>	3 6
480	— — —	<i>very fine mixed</i>	div.	6
481	<i>Lycheus fulgens</i>	<i>shining</i>	10	30	136	hlp†	sc.	1	6-8	6
482	<i>chalcédonica</i>	(<i>scarlet</i>)	hp†	...	2	7-9	3
483	— <i>alba et rosea</i>	— <i>white and rose</i>	w&r.	6
484	<i>cæli-rosa</i>	<i>Rose of Heaven</i>	ha	flh.	1	7-8	3
485	<i>Málope trifida</i> v. No. 1043	<i>trifid</i>	16	48	111	hha	pur.	2	7-9	3
486	<i>Malva elegans</i>	<i>elegant</i>	16	G.	sc.	3	5-8	6
487	<i>Monroiana</i>	<i>Monro's</i>	hp†	...	2	7-8	6
488	<i>Moreni</i>	<i>Moreni's</i>	red	...	7-9	4
489	<i>zebrina?</i>	<i>zebra (striped)</i>	ha	stri.	3	...	6
490	<i>sp. ex Coquimbo</i>	(<i>sp. Chile</i>)	hl	6
491	<i>Martýnia diandra</i>	<i>two-athered</i>	14	59	135	gha	sp.	1½	...	1 0
492	<i>frágrans</i>	<i>fragrant</i>	2 6
493	<i>proboscidea</i> [ros	<i>proboscis-like</i>	p&b.	6
494	<i>Matthewsia?</i> 2 sp. Argñe-	(<i>2 sp. Chile</i>)	1 0
495	<i>Mahonia</i> (Berberis)	<i>two fine sp.</i>	6	25	70	hp	yel.	4	4-6	1 0
496	<i>Maurandya Barclayana</i>	<i>Barclay's**</i>	14	59	134	G.†	p&w	10	4-9	6
497	<i>antirrhiniiflora**</i>	<i>Snape-dragon-flow.</i>	b&w	6
498	<i>semperflórens**</i>	<i>ever-flowering</i>	pink	6
499	— <i>rosea nova**</i>	— <i>new rose</i>	rose	1 0
500	— — —	<i>Nos. 496 to 499</i>	2 0
501	<i>Melastoma macrocarpa</i>	<i>long-fruited</i>	10	25	...	S.	pur.	6	6-8	1 0
502	<i>Mesembrianthemum</i>	<i>tricolor, ext.</i>	12	27	90	hha	3 eo.	1	7-9	6
503	<i>Mimosa</i> , 3 sp.	(<i>3 fine sp.</i>)	23	51	102	S.	1 0
504	<i>Mimulus moschatus</i>	<i>musk</i>	14	59	134	hhpt	yel.	¾	6-9	6
505	<i>cardinalis</i>	<i>cardinal</i>	sc.	2	...	4
506	— — —	<i>6 fine sp. and var.</i>	div.	1	...	2 0
507	— — —	<i>fine mixed</i>	6
508	<i>Muraltia Heisteria</i>	<i>Heister's</i>	17	43	124	G.	pur.	6	2-6	6
509	<i>Nelumbium speciosum</i>	<i>showy (aquatic)</i>	13	35	...	S.	red tra.	6-9	2 6	6
510	— <i>albiflorum</i>	— <i>white</i>	wh.	2 6
511	<i>Nemésia floribunda</i>	<i>bunch-flowered</i>	14	59	134	hha	w&y	¾	7-9	6
512	<i>Nemóphila aurita</i>	<i>ear (leaved)</i>	5	25	98	ha	vio.	2½	...	4
513	<i>atomaria</i>	<i>spotted (white)</i>	sp.	1	7-8	3

<i>A— indicates a variety. () That the word is not literally translated, or is superadded.</i>			Li.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
514	Nemóphila atom. azúrea	spotted azure	5	25	98	ha	sp.	1	7-8	6
515	— insignis	beautiful	bl.	3
516	— grandiflora	large-flowered	3
517	phacelioides	Phacelia-like	1½	...	4
518	hybrida, nova	new Hybrid	1	...	1 0
519	— — —	Nos. 512 to 518	2 6
520	Nolane atriplicifolia	Atriplex-leaved	137	hha	bl.	1	...	3
521	— paradoxa	paradoxical	3
522	— prostrata	prostrate	vio.	1a.	...	3
523	sp. ex Coquimbo	Chilean, sp. No. 1.	d. bl.	1 0
524	sp. alba grandiflora	— No. 2.	hh?	wh.	1 6
525	sp. ex Huasco	— No. 3.	1 6
526	sp. ex Andacolla	— No. 4.	1 0
527	sp. ex Huasco	— No. 5.	1 6
528	sp. ex Villa Vicuña	— No. 6.	1 6
529	— — —	Nos. 520 to 528	7 0
530	Nonea rosea	rose-coloured	72	hha	rose	1½	7-8	6
531	Nymphæa cyanea	sky-blue(aquatic)	13	...	116	S.	bl.	tra.	6-9	1 6
532	Lótus	(Egypt. Lotus) „	pink	1 6
533	scutifolia	shield-leaved „	bl.	1 6
534	Cenothèra acanthis	stemless	8	...	117	hhp†	wh.	½	7-9	4
535	Drummondii	Drummond's	yel.	t. a.	6-9	4
536	longiflora	long-flowered	hb†	...	1½	...	4
537	macrocarpa	long-fruited	hpt	...	1	...	6
538	odorata	sweet-scented	hb†	...	2	5-8	4
539	taraxacifolia	Dandelion-leaved	hpt	...	½	6-9	6
540	speciosa	showy	wh.	1½	7-9	6
541	tetraptera	four-winged	ha	...	1	7-8	3
542	— — —	Nos. 534 to 541	2 6
543	Ononis rotundifolia	round-leaved	16	45	102	hp	pink	2	5-7	6
544	Opuntia vulgaris	(Cochenille Plant)	12	25	75	G.	yel.	...	6-8	1 0
545	Oxalis floribunda	bunch-flowered	10	30	118	hhp†	red	1	...	6
546	— rosea	[des] rose-coloured	rose	6
547	Oxyura chrysanthemoides	Chrysanth-like	19	54	82	ha	y&w	...	7-9	4
548	Pæonia, sp.	(fine mixed)	13	26	129	hp	div.	2	6-9	6
549	Papaver nudicaule	naked-stalked	...	25	120	hpt	yel.	1½	...	4
550	— alpinum	alpine	sul.	1	...	4
551	— pulcherrimum	most beautiful	sc.	3	...	4
552	— — —	6 fine sp. sep.	div.	1 6
553	Patersonia, sp. N. Hol.	New Holland sp.	16	38	100	fp.	1 0
554	Passiflora laurifolia**	laurel-leaved	...	40	121	S.	1 0
555	— Mayana**	May's	G.	wh.	20	5-9	1 0
556	— — —	fine mixed	S.	div.	1 0
557	Pelargonium (Geranium)	(finest mixed)	...	42	94	G.	...	3	...	2 6
558	— — —	small packet	1 0
559	— coccineum 6 v.	scarlet, 6 finest	sc.	1 0
560	Pentstemon atrorubens	dark-red	14	59	134	hpt	d. r.	2	6-9	4
561	— atropurpureum	dark-purple	d. p.	4
562	— campanulatum	belt-flowered	pur.	4
563	— Chandlèri	Chandler's	var.	6

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet	s. d.	
564	<i>Penstemon diffusum</i>	<i>diffuse</i>	14	59	134	hpt	pur.	2	6-9	4
565	<i>digitalis</i>	<i>Digitalis-like</i>	wh.	4
566	<i>gentianoides</i>	<i>Gentian-like</i>	cr.	4
567	— <i>coccineum</i>	— <i>scarlet</i>	sc.	6
568	<i>pulchellum</i> , 3 var.	<i>pretty</i> , 3 var.	div.	16
569	<i>roseum</i>	<i>rose</i>	rose	10
570	<i>speciosum</i>	<i>showy</i>	bl.	10
571	— — —	<i>Nos. 560 to 570</i>	div.	40
572	— — —	<i>fine mixed</i>	10
573	<i>Petunia phœnicea</i>	<i>purple</i>	5	25	137	hhpt	pur.	2½	...	15
574	— <i>alba grandiflora</i>	<i>large white fld.</i>	wh.	6
575	— <i>rosea</i>	<i>rose</i>	rose	6
576	— <i>violacea</i>	<i>violet</i>	vio.	6
577	<i>nyctaginiflora</i>	<i>white</i>	wh.	3
578	— — —	<i>12 var. separate</i>	div.	50
579	— — —	<i>extra fine mixed</i>	10
580	— — —	<i>fine mixed</i>	6
581	<i>Phacelia congesta</i>	<i>bunch-flowered</i>	98	ha	bl.	2	7-8	3
582	<i>conspicua</i>	<i>conspicuous</i>	6
583	<i>tanacetifolia</i>	<i>Tansy-leaved</i>	3
584	<i>Physianthus albens</i>	<i>white</i>	...	26	68	ghp	wh.	8	5-9	10
585	<i>Pimelia decussata</i>	<i>decussate</i>	2	25	141	G.	rose	2	5-6	6
586	— — — [cum]	<i>3 fine sp. mixed</i>	div.	3	5-7	16
587	<i>Platystemon californi-</i>	<i>Californian</i>	13	...	120	ha	yel.	½	6-8	6
588	<i>Phlox Drummondii</i> , 20 v.	<i>Drummond's</i>	5	...	123	hha	div.	1½	7-9	10
589	— <i>coccinea</i>	— <i>scarlet</i>	sc.	10
590	pl. sp. <i>perennans</i>	<i>perennial mixed</i>	hp	div.	2	6-8	6
591	<i>Podolœpis gracilis</i>	<i>slender</i>	19	54	82	hha	p&w	1	7-8	3
592	<i>Poinciana pulcherrima</i>	<i>most beautiful</i>	10	25	102	S.	3col.	10	6-9	10
593	— <i>flœre-lutca</i>	<i>yellow-flowered</i>	yel.	10
594	sp. ex Chile	(<i>Algarrobella</i>)	G.	pur.	26
595	<i>Potentilla formosa</i>	<i>beautiful</i>	12	35	131	hpt	...	1½	6-9	3
596	<i>atrosanguinea</i>	<i>dark-red</i>	d. r.	1	...	3
597	6 sp.	(<i>6 fine species</i>)	div.	16
598	<i>Portulæa splendens</i>	<i>splendid</i>	11	25	126	hha	7-9	10
599	<i>Thellusoni</i>	<i>Thelluson's</i>	sc.	10
600	<i>Prœtea</i> , 3 sp.	<i>three species</i>	4	...	128	G.	div.	10
601	<i>Psoralea</i> , sp. <i>capensis</i>	<i>Cape species</i>	17	45	102	...	bl.	2	7-8	6
602	<i>Primula cortusoides</i>	<i>Cortusa-like</i>	5	25	127	hpt	red	¾	5-8	6
603	— <i>sincensis fimbriata</i>	<i>Chinese, fringed</i>	G.	r&w	10
604	<i>Ramonda pyrenæica</i>	<i>Pyrenean</i>	137	hp	pur.	½	5-6	3
605	<i>Rhodanthe Manglesi</i>	<i>Capt. Mangles's</i>	19	54	82	hha	rose	1½	7-8	6
606	— <i>semitlœna</i>	— <i>semi-double</i>	6
607	sp. <i>cyanea</i>	<i>sky-blue</i>	bl.	26
608	<i>Rudbeckia elegans</i>	<i>elegant</i>	...	55	...	hpt	yel.	2	7-8	6
609	<i>Salpiglossis atropurpurea</i>	<i>dark-purple</i>	14	59	137	hbbt	d. p.	...	6-9	6
610	— <i>picta</i>	<i>painted</i>	var.	6
611	— — —	<i>splendid mixed</i>	div.	10
612	<i>Saponaria calabrica</i>	<i>Calabrian</i>	10	26	136	ha	pink	¾	7-9	6
613	— <i>ocymoides</i>	<i>Oeyma-like</i>	hpt	5-9	6

A — indicates a variety. () That the word is not literally translated, or is superadded.			Cl.	O.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			L.	L.	N.			feet		s. d.
614	<i>Salvia bicolor</i>	<i>two-coloured</i>	2	25	101	hlp†	b&w	3	6-9	4
615	<i>coccinea</i>	<i>scarlet</i>	sc.	2	...	4
616	<i>limbata</i>	<i>bordered</i>	bor.	2½	...	4
617	<i>patens</i>	<i>spreading (extra)</i>	bl.	1 0
618	<i>Tenorei</i>	<i>Tenore's</i>	2	...	4
619	— — —	<i>Nos. 614 to 619</i>	2 0
620	<i>Sanvitiæ procumbens</i>	<i>procumbent</i>	19	51	82	hha	yel.	tra.	6-9	4
621	<i>Scabiosa elegans</i>	<i>elegant</i>	4	25	87	hp	bl.	2	7-9	6
622	<i>sp. capensis</i>	<i>Cape sp.</i>	yel.	6
623	<i>Schizanthus Grahami</i>	<i>Graham's</i>	14	59	134	hlb†	l&y.	3	...	6
624	<i>retusus</i>	<i>blunt-leaved</i>	c&y.	2	...	6
625	— <i>superbus</i>	— <i>superb (new)</i>	s&y.	1 6
626	<i>pinnatus</i>	<i>pinnate</i>	hha	l.p.y	1½	7-8	3
627	— <i>humilis</i>	<i>dwarf</i>	l.r.y.	1	...	3
628	— <i>porrigens</i>	<i>spreading</i>	l.p.y.	3
629	— <i>Priestii</i>	<i>Priest's</i>	w&y.	3
630	— <i>putchellus</i>	<i>pretty</i>	w&p	3
631	— <i>venustus</i>	<i>beautiful</i>	var.	4
632	<i>nivalis, nova</i>	<i>snow-white, new</i>	wh.	1 0
633	— — —	<i>Nos. 623 to 632</i>	div.	4 0
634	— — —	<i>fine mixed</i>	6
635	<i>Schizopetalon Walkeri</i>	<i>Walker's</i>	15	61	85	hha	wh.	1	7-9	6
636	<i>Scutellaria alpina</i>	<i>alpine</i>	14	58	101	hpf†	b&w	¾	1-8	3
637	<i>garganica</i>	<i>Garganian</i>	6
638	<i>Schultesia, sp.</i>	<i>(fine species)</i>	4	25	93	G.	6
639	<i>Silene ornata</i>	<i>ornamented</i>	10	28	136	ha	pur.	1	7-8	3
640	<i>pendula</i>	<i>pendulous</i>	rose	3
641	<i>sibirica coccinea</i>	<i>scarlet</i>	hpf†	sc.	1½	6-9	3
642	<i>Solanum, sp. Copiapo</i>	<i>(Chilean species)</i>	5	25	137	hh	1 0
643	<i>Sisyrinchium, 2 sp.</i>	<i>(two fine species)</i>	3	...	100	hp	bl.	1	...	1 0
644	<i>Sollya heterophylla**</i>	<i>various-leaved</i>	5	...	122	G.	...	6	...	6
645	<i>sp. Novæ Hollandiæ</i>	<i>New Holland sp.</i>	1 0
646	<i>Sôphora havaeensis</i>	<i>Havannah</i>	10	...	102	S.	yel.	3	7-9	6
647	<i>sp. Anguilla</i>	<i>Anguilla</i>	G.	1 0
648	<i>Sphaenogyne speciosa</i>	<i>showy (extra)</i>	19	55	82	hha	y&b.	1½	...	6
649	<i>Stachys coccinea</i>	<i>scarlet</i>	14	58	101	hpf†	sc.	1	6-8	1 0
650	<i>speciosa</i>	<i>showy</i>	1 0
651	<i>Stenactis speciosa</i>	<i>showy</i>	19	54	82	...	pur.	2	...	3
652	<i>Sutherlandia frutescens</i>	<i>shrubby</i>	17	45	102	hlp†	sc.	3	...	3
653	<i>Streptocarpus Rexii</i>	<i>Rex's</i>	2	25	71	G.	bl.	¾	...	6
654	<i>Stylidium fasciculatum</i>	<i>bundle-flowered</i>	20	37	140	...	pink	...	7-9	6
655	<i>Tagetes lucida</i>	<i>shining</i>	19	54	82	...	yel.	1	...	4
656	<i>Tecoma stans</i>	<i>upright</i>	14	59	71	hlp	...	10	...	6
657	<i>radicans**</i>	<i>rooting</i>	or.	15	...	6
658	<i>Tephrosia amœna</i>	<i>pleasing</i>	17	45	102	S.	...	2	...	6
659	<i>Thunbergia alata**</i>	<i>winged</i>	2	25	62	gha	buff	5	6-9	6
660	— <i>alba**</i>	<i>white (eyed)</i>	w&b	6
661	— <i>aurantiaca**</i>	<i>orange</i>	or.	6
662	— <i>Barkeri**</i>	<i>(entirely white)</i>	wh.	6
663	<i>Thysanotus, sp. Novæ H.</i>	<i>(fine sp. New H.)</i>	6	25	103	G.	pur.	...	6-8	1 0

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		Cl.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.									feet		s. d.
664	<i>Tigridia pavonia</i>	<i>Peacock</i>	16	38	100	hlp	o & r.	1	7-9		6
665	<i>Tithonia tagetiflora</i>	<i>Marigold-flowerd.</i>	19	55	82	G.	yel.	4	...		6
666	<i>Trachelium caeruleum</i>	<i>blue</i>	5	25	76	hlp†	bl.	2	7-8		4
667	<i>Trixis senecioides</i>	<i>Senecio-like</i>	19	56	82	hha	wh.	1½	...		6
668	<i>Tropaeolum brachyceras</i>	<i>short-horned**</i>	8	25	143	G.	yel.	6	6-9	1 0	
669	<i>Jarattii**</i>	<i>Mr. Jarratt's</i>	s & y.	1 6	
670	<i>pentaphyllum**</i>	<i>five-leaved</i>	o & y.	6
671	<i>peregrinum**</i>	<i>(Canary Bird)</i>	yel.	...	7-9	6	
672	<i>tricolorum**</i>	<i>three-coloured</i>	o & p.	...	6-9	1 0	
673	— — —	<i>Nos. 668 to 672</i>	div.	4 0	
674	<i>Tweedia caerulea</i>	<i>blue</i>	5	26	68	hlp	bl.	3	7-8	6	
675	<i>Verbascum Lagurus</i>	<i>Lagurus</i>	...	25	137	hp†	...	2	7-9	6	
676	<i>formosum</i>	<i>beautiful</i>	yel.	3	
677	<i>speciosum</i>	<i>showy</i>	3	
678	<i>Verbena Aubletia</i>	<i>Aublet's</i>	14	59	146	hbb†	li.	1	6-9	6	
679	<i>pulehella</i>	<i>pretty</i>	bl.	6	
680	<i>venosa</i>	<i>veined</i>	rose	6	
681	<i>sp. ex Coquimbo</i>	<i>(fine sp. Chile)</i>	1 0	
682	— — —	<i>extra fine 10 var.</i>	s & c.	1 6	
683	— — —	<i>Nos. 678 to 681</i>	div.	3 6	
684	<i>Vicia Nissolia</i>	<i>Nissol's</i>	17	45	102	ha	pur.	3	7-8	3	
685	<i>Vinea rosea et var. alba</i>	<i>rose and white</i>	5	25	66	S.	r & w.	1	3-9	1 0	
686	<i>Zinnia elegans</i>	<i>elegant</i>	19	54	82	hha	vio.	2	7-9	6	
687	— alba	<i>— white</i>	wh.	6	
688	— atroeocinea	<i>— dark scarlet</i>	d. s.	6	
689	— atropurpurea	<i>— dark purple</i>	d. p.	6	
690	— coccinea	<i>— scarlet</i>	se.	6	
691	— purpurea	<i>— purple</i>	pur.	6	
692	— lutea	<i>— yellow</i>	yel.	6	
693	— — —	<i>splendid mixed</i>	div.	1 0	
694	— — —	<i>Nos. 686 to 693</i>	4 0	
695	<i>Zinnia aurea</i>	<i>golden</i>	p. y.	3	
696	<i>grandiflora</i>	<i>large-flowered</i>	red	3	
697	6 sp.	<i>6 sp. mixed</i>	div.	6	

New and rare Seeds from Chile, &c.

	£ s. d.
698 50 species from the North of Chile, comprising many new	2 10 0
699 A fine new Annual from Swan River, blue	2 6
700 " " " " Coquimbo, yellow	2 6
701 " " " " Argueros, purple	2 6
702 " " " " — blue	2 6
703 A climbing Perennial from Swan River, blue	1 6
704 A fragrant Perennial from Argueros, white	1 0
705 Cruciferae sp. fine No. 1. from Coquimbo Bay	1 0
706 Cruciferae sp. fine No. 2. from Elgui (Chile)	1 0
707 Epaeridaceae, 3 sp. from Swan River	2 6
708 Leguminosae sp. No. 1. from Swan River	1 6
709 Leguminosae sp. No. 2. from Coquimbo	1 6
710 Leguminosae sp. No. 3. from Maitland Island	1 6
711 Fine Shrub, No. 1. from Swan River	1 6
712 " " No. 2. from Swan River	1 6
713 Nos. 699 to 712, 14 Packets	1 0 0

The following Plants are best known by the English Names, but as the Scientific Name is requisite to show the genus to which they belong, the latter is also given. Such Popular Names as White Candytuft have no affinity with the Latin; they are, therefore, not to be considered as translations.

A — is employed to indicate varieties. — — indicate sub-varieties.			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
714	Adonis, Flos	<i>Adonis æstivâlis</i>	13	35	129	ha	se.	1	7-8	3
715	autumnal	<i>autumnâlis</i>	cr.	3
716	Aster, Chinese, m.	<i>Aster sinensis, pt. var.</i>	19	54	82	lha	div.	2	8-10	3
717	quilled (German)	— <i>fistulosus</i>	6
718	dark blue	— <i>atro-cæruleus</i>	d. b.	4
719	dark red	— <i>atrorubens</i>	d. r.	4
720	light blue	— <i>late-cæruleus</i>	l. b.	4
721	new Glohe	— <i>globosus</i>	div.	4
722	rose	— <i>roseus</i>	rose	4
723	striped	— <i>striatus</i>	str.	4
724	white	— <i>albus</i>	wh.	4
725	Turkey	— <i>turcicus</i>	red	4
726	— new striped	— <i>striatus novus</i>	str.	4
727	Anemone-flower-	— <i>anemoneflorus</i>	div.	4
728	pyramidal [ed	— <i>pyramidalis</i>	4
729	early dwarf	— <i>nanus præcox</i>	1	7-9	4
730	Anricula, Alpine	<i>Primula Auricula</i>	5	25	127	hp	...	½	5-7	6
731	extra fine	— — —	2	6
732	Balsam, fine double	<i>Balsamina hortensis</i>	69	ta	...	2	7-9	6
733	Camellia-flower'd	— <i>Camelliaeflora</i>	6
734	flesh-coloured	— <i>carnea</i>	fl.	4
735	rose	— <i>rosea</i>	rose	4
736	violet	— <i>violacea</i>	vio.	4
737	scarlet, 2 fine var.	— <i>coccinea</i>	sc.	...	1	0
738	new spotted	— <i>punctata nova</i>	spot.	6
739	— striped	— <i>striata nova</i>	stri.	6
740	white	— <i>alba</i>	wh.	4
741	new dwarf, 4 var.	— <i>nana nova</i>	div.	1	...	6
742	Nos. 732 to 741	— — —	3	0
743	Cape Marigold	<i>Calendula pluriâlis</i>	19	56	82	ha	w&p	1	7-8	3
744	large or hybrid	<i>hybrida</i>	wh.	3
745	Candytuft, white	<i>Iberis amara</i>	15	60	85	6-8	3
746	purple	— <i>umbellata</i>	pur.	3
747	Normandy	— <i>majior</i>	3
748	new crimson	— <i>phenicea</i>	cr.	4
749	new lilac	— <i>lilacina</i>	li.	4
750	new rocket	— <i>cornaria</i>	wh.	3
751	sweet-scented	— <i>odorata</i>	3
752	two-coloured	— <i>bicolor</i>	w&r.	3
753	Nos. 745 to 752	— — —	2	0
754	mixed	— — —	3
755	Capsicum, 12 var.	<i>Capsicum annuum</i>	5	25	137	ta	fd.	2	7-9	1 0
756	Carnation, mixed	<i>Dianthus Caryophyl-</i>	10	26	136	hp	div.	...	6-8	3
757	double	— — — [lus	1 0
758	finest German	— — —	hlp	2 6

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
759	Carnation, Picotee	<i>Dianthus Car. var.</i>	10	26	136	hp	div.	2	6-8	6
760	finest German	— — —	hlp	1 6
761	Catchfly, Lobel's	<i>Silene Armèria</i>	...	28	...	ha	r&w.	1	...	3
762	Cockcomb, dwarf	<i>Celosia cristata, nana</i>	5	25	63	ta	er.	...	7-9	6
763	fine Giant	— <i>gigantea</i>	1½	...	6
764	white-bordered	— <i>albo-eincta</i>	w&r.	1	...	6
765	yellow	— <i>lutea</i>	yel.	1½	...	6
766	fine mixed	— — —	6
767	Columbine, fine m.	<i>Aquilegia vulgaris</i>	13	30	129	hp	div.	2	5-7	3
768	6 fine species	— — —	6
769	Chrysanthemum, tr.	<i>Chrysan. carinatum</i>	19	54	82	ha	3 col.	1	7-8	3
770	new golden	— <i>luteum</i>	yel.	3
771	showy	— <i>speciosum</i>	4
772	yel. and white m.	— <i>coronarium</i>	y&w	3	...	3
773	Nos. 769 to 772	— — —	1 0
774	Clary, red and pur.	<i>Salvia Horminum</i>	2	25	101	...	r&p.	1½	...	3
775	Convolvulus, minor	<i>Convolvulus tricolor</i>	5	...	83	...	bl.	tra.	6-8	3
776	white var.	— <i>albus</i>	wh.	3
777	Sicilian	— <i>siculus</i>	bl.	3
778	mixed minor	— — —	3
779	Nos. 775 to 778	— — —	1 0
780	Major mixed**	<i>Ipomæa purpurea</i>	hha	div.	10	7-9	3
781	ext. fine, 16 var.**	— — —	1 0
782	dark violet**	— <i>atroviolacea</i>	d. v.	3
783	spotted**	— <i>punctata</i>	spot.	3
784	striped**	— <i>striata</i>	str.	3
785	rose**	— <i>rosea</i>	rose	3
786	white**	— <i>alba</i>	wh.	3
787	Nos. 781 to 786	— — —	div.	2 0
788	Cowslip, fine mixed	<i>Primula veris</i>	127	hpt	...	3	5-6	3
789	Cyanus, fine mixed	<i>Centaurea Cyanus</i>	19	55	82	ha	...	2	6-9	3
790	Egg Plant, purple	<i>Solanum ovigerum</i>	5	25	137	ta	vio.	...	7-9	3
791	white	— <i>leuocarpum</i>	wh.	3
792	mixed	— — —	v&w	3
793	Dahlia, fine double	<i>Dahlia, seu Georgina</i>	19	54	82	hhpt	div.	4	...	1 0
794	Fraxinella, red	<i>Dictamnus Fraxinella</i>	10	25	132	hp	red	3	5-7	3
795	white	— <i>flore-albo</i>	wh.	3
796	French honeysuckle	<i>Hedysarum coronar.</i>	17	45	102	hhpt	red	4	6-7	3
797	white	— <i>album</i>	wh.	3
798	Globe Amaranthus,	<i>Gomphrena globosa</i>	5	25	63	ta	pur.	2	7-9	4
799	4 var.	— — —	div.	4
800	Gourds, finest mixed	<i>Cucurbita, pl. var.</i>	21	49	86	hha	y.	tra.	...	4
801	Bottle and Club	— <i>Lagenaria</i>	4
802	orange	— <i>aurantia</i>	3
803	striped pear	— <i>ovifera, var.</i>	3
804	Mammoth	— <i>Pépo, var.</i>	4
805	Nos. 800 to 804	— — —	1 6
806	Hawkweed, yellow	<i>Tolpis barbata</i>	19	53	82	ha	...	1	7-8	3
807	silvery	— <i>argentea</i>	sil.	3
808	purple	<i>Crépis rubra</i>	pur.	3

<i>A — is employed to indicate varieties.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.							feet		s. d.
809	Hawkweed, new w.	<i>Crepis alba</i>	19	53	82	ha	wh.	1 7-8	3
810	Nos. 806 to 809	— — — —	5	25	147	1 0
811	Heartscase, ext. fine	<i>Viola tricolor</i> , var.	147	hpt	div.	6-9	1 0
812	Hollyhock, fi. Germ.	<i>Althæa rosea</i> 20 var.	16	48	111	hp	rose	7	1 0
813	black	<i>nigra</i>	blk.	...	3
814	dark red	<i>atrorubens</i>	d. r.	...	3
815	pink	<i>erubescens</i>	pink	...	3
816	purple	<i>purpurea</i>	pur.	...	3
817	rose	<i>rosea</i>	rose	...	3
818	sulphur	<i>sulphurea</i>	sul.	...	3
819	white	<i>alba</i>	wh.	...	3
820	yellow	<i>lutea</i>	yel.	...	3
821	Antwerp	<i>ficifolia</i>	buff	...	3
822	Chinese	<i>chinesis</i>	vio.	3	3
823	new dwarf	— <i>pl. var.</i>	div.	...	6
824	Nos. 812 to 823	— — — —	3 6
825	Horn Poppy, 3 var.	<i>Glaucium</i> , 3 sp.	13	25	120	ha	...	2 7-8	3
826	violet	<i>Rumex hybrida</i>	vio.	1½	3
827	Ice Plant	<i>Mesembrianthemum e.</i>	12	27	90	hha	wh. tra.	5-8	4
828	Jacobæa, purple	<i>Senecio elegans</i>	19	54	82	...	pur.	1½ 7-9	3
829	white	— <i>alba</i>	wh.	...	3
830	double purple	— <i>purpurea plena</i>	pur.	...	4
831	— red	— <i>rubra</i> —	red	...	4
832	— violet	— <i>violacea</i> —	vio.	...	4
833	— new brown	— <i>fusca nova</i> —	br.	...	4
834	— white	— <i>alba</i> —	wh.	...	4
835	Nos. 828 to 834	— — — —	2 0
836	fine mixed	— — — —	6
837	Larkspur, dwarf, m.	<i>Delphinium Ajacis</i>	13	28	129	ha	div.	1	3
838	— per ounce	— — — —	1 0
839	dwarf, blue-grey	<i>humile plumbeum</i>	lead	...	3
840	— blue	— <i>cæruleum</i>	bl.	...	3
841	— Quaker	— <i>cæsium</i>	grey	...	3
842	— rose	— <i>roseum</i>	rose	...	3
843	— white	— <i>album</i>	wh.	...	3
844	tall, fine mixed	<i>elatior</i> , m.	div.	1½	3
845	— blue	— <i>cæruleum</i>	bl.	...	3
846	— new brown	— <i>fuscum novum</i>	grey	...	3
847	— rose	— <i>roseum</i>	rose	...	3
848	branching, m.	<i>Consolida</i>	div.	2	3
849	— blue	— <i>cæruleum</i>	bl.	...	3
850	— rose	— <i>roseum</i>	rose	...	3
851	fine m. perennial	<i>pl. sp. perennans</i>	hpt	div.	3	6
852	Lavatera, red	<i>Lavatera trimestris</i>	16	48	111	ha	red	...	3
853	white	— <i>alba</i>	wh.	...	3
854	Love lies bleeding	<i>Amaranthus caudatus</i>	21	40	63	...	red tra.	7-8	3
855	buff	— <i>fulvus</i>	buff	...	3
856	Lupines, large blue	<i>Lupinus hirsutus</i>	16	45	102	...	bl.	2 7-9	3
857	Dutch blue	<i>canaliculatus</i>	3
858	large rose	<i>pitbus</i>	l. r.	...	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
859	Lupines, small blue	<i>Lupinus angustifolius</i>	16	45	102	ha	bl.	2	7-9	3
860	white	<i>albus</i>	wh.	3
861	yellow	<i>luteus</i>	yel.	1½	...	3
862	straw	— <i>stramineus</i>	str.	3
863	Nos. 856 to 862	— — —	div.	3
864	mixed	— — —	3
865	Mallow, 6 sp.	<i>Malva, 6 sp. sep.</i>	...	48	111	7-8	1 6
866	Marigold, French, m.	<i>Tagetes patula</i>	19	54	82	hha	div.	1½	7-9	3
867	dwarf	— <i>humilis</i>	dark	3
868	tall double	— <i>grandis</i>	b&y.	3
869	superb striped	— <i>striata, fl. pl.</i>	stri.	6
870	unique	— <i>striata simplex</i>	3
871	Marigold, African	<i>Tagetes erecta</i>	o&y.	2	...	3
872	new dwarf	— <i>humilis nova</i>	or.	1	...	3
873	lemon	— <i>citrina</i>	cit.	2	...	3
874	orange	— <i>crocata</i>	or.	3
875	Nos. 866 to 874	— — —	2 0	...
876	Marvel of Peru	<i>Mirabilis Jalapa</i>	5	25	115	hhpt	red	3	...	3
877	red-striped	— <i>striata rubra</i>	r. s.	3
878	yellow	— <i>lutea</i>	yel.	3
879	yellow-striped	— <i>striata lutea</i>	y. s.	3
880	white	— <i>alba</i>	wh.	3
881	three-coloured	— <i>tricolor</i>	3col.	6
882	hybrid	— <i>hybrida</i>	red	4
883	long-tubed	<i>longiflora</i>	wh.	3
884	new purple	— <i>purpurea</i>	pur.	4
885	Nos. 876 to 884	— — —	div.	...	2 0	...
886	mixed	— — —	6
887	Monkshood, 6 sp.	<i>Aconitum, 6 sp.</i>	13	28	129	hp	b&w	2½	...	1 6
888	Mignonette, oz. 6d.	<i>Reseda odorata</i>	11	...	130	ha	buff	1½	...	3
889	Nasturtions, dwarf	<i>Tropaeolum minus</i>	8	43	143	...	o&s.	tra.	...	3
890	common dwarf	— <i>dubium</i>	or.	3	...	3
891	tall	<i>Majus</i>	o&y.	6	...	3
892	new sulphur	— <i>sulphureum</i>	sul.	4
893	dark red	— <i>atrosanguineum</i>	d. r.	3
894	Shilling's	— <i>Shillingii</i>	stri.	4
895	Nos. 889 to 894	— — —	1 6	...
896	Palma Christi	<i>Ricinus major</i>	21	49	89	hhpt	pale	6	...	3
897	Peas, Tangier	<i>Lathyrus tingitanus</i>	17	45	102	ha	se.	4	...	3
898	— striped	— <i>striatus</i>	str.	3
899	Lord Anson's 2 v.	<i>magellanicus</i>	b&w	5	...	3
900	winged 2 v.	<i>Tetragonolobus pur.</i>	s&y.	1	...	3
901	Crown	<i>Pisum umbellatum</i>	rose	4	...	3
902	Nos. 897 to 901	— — —	1 0	...
903	Pea Sweet, per lb. 4s.	<i>Lathyrus odoratus</i>	div.	4	...	3
904	black	— <i>niger</i>	bl.	3
905	painted Lady	— <i>pictus</i>	var.	3
906	purple	— <i>purpureus</i>	pur.	3
907	scarlet	— <i>coccineus</i>	sc.	3
908	striped	— <i>striatus</i>	stri.	3

<i>A — is employed to indicate varieties.</i>		Cl.	L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
909	Peas, sweet, white	<i>Lathyrus odor. albus</i>	17	45	102	ha	wh.	4	...	3
910	Nos. 903 to 909	— — —	1 6
911	Polyanthus, fine m.	<i>Primula clatior</i>	5	25	127	hp†	div.	1	4-6	6
912	extra fine mixed	— — —	1 0
913	Pink, common	<i>Dianthus moschatius</i>	10	26	136	hp	w&r.	...	6-8	3
914	finest double	— flore-pleno	1 0
915	Poppy, fine m. 10 v.	<i>Papaver somniferum</i>	13	25	120	ha	div.	2½	7-9	3
916	double black	— flore-pleno niger	bl.	3
917	— bluish	— rubens	red	3
918	— Carnation	— caryophylloides	str.	3
919	— fringed, 3 var.	— finbriatum	bor.	3
920	— new rose	— roseum novum	rose	3
921	— scarlet	— coccineum	sc.	3
922	— white	— album	wh.	3
923	French or Rannm.	<i>Rhæas</i>	div.	1½	...	3
924	Chinese, painted	— pictum	3
925	Nos. 915 to 924	— — — [driacus	2 0
926	Prince's Feather	<i>Amaranthushypochon</i>	21	40	63	...	pur.	3	7-8	3
927	new Giant	— speciosus?	3
928	Quaking Grass	<i>Briza maxima</i>	3	26	92	...	gr.	1½	7-9	3
929	Rocket, sweet	<i>Hesperis tristis</i>	15	61	85	hp	wh.	...	5-8	3
930	Dames'	— matronalis	pur.	3
931	Rose Champion	<i>Lychnis Githago</i>	10	30	136	ha	cr.	2	7-8	3
932	Scabious, fine dwarf	<i>Scabiosa nana</i>	4	25	87	...	div.	1	7-9	3
933	dark purple	— atropurpurea	hp†	pur.	2	...	3
934	mixed	— pl. var.	div.	3
935	large-flowered	— grandiflora	6
936	starry	— stellata	bl.	1½	...	3
937	Nos. 932 to 936	— — —	1 3
938	Sensitive Plant	<i>Mimosa sensitiva</i>	23	51	102	G.	pink	1½	6-9	4
939	Snapdragon, fine m.	<i>Antirrhinum Majus</i>	14	59	134	hp†	div.	2	...	3
940	Carnation	— caryophylloides	str.	6
941	new Pink	— roseum	rose	3
942	painted	— pictum	w&r	3
943	scarlet	— coccineum	sc.	3
944	yellow	— luteum	ycl.	3
945	purple	— purpureum	pur.	3
946	white	— album	wh.	3
947	Nos. 939 to 946	— — —	div.	2 0
948	Snake Melon	<i>Cucumis flexuosus</i>	21	49	86	fa	ycl.	tra.	7-9	4
949	Spanish Broom	<i>Spartium junceum</i>	16	45	102	hp	...	3	6-9	3
950	Stock, Ten-week	<i>Mathiola annua, 10 v.</i>	15	61	85	hla	div.	1½	...	6
951	scarlet	— coccinea	cr.	3
952	giant scarlet	— — major	2½	...	6
953	new scarlet	— — nova	1½	...	6
954	purple	— purpurea	pur.	3
955	dark purple	— atropurpurea	d. p.	3
956	white	— alba	wh.	3
957	giant white	— — major	2½	...	4
958	new Victoria	— var.	pur.	6

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
959	Nos. 950 to 958	— — —	15	61	85	hha	div.	2½	6-9	3 0
960	Stock, German, d.	<i>Mathiola annua, d.</i>	1	...	6
961	large packet	— <i>densiflora</i>	1 0
962	dark blue	— <i>atro-cærulea</i>	d. b.	6
963	light blue	— <i>late-cærulea</i>	l. b.	6
964	carmine	— <i>miniata</i>	car.	6
965	crimson	— <i>kermesina</i>	cr.	6
966	new yellow	— <i>lutea nova</i>	yel.	6
967	peach-blossom	— <i>persiciflora</i>	pch	6
968	rose	— <i>rosea</i>	rose	6
969	violet	— <i>violacea</i>	vio.	6
970	white	— <i>alba</i>	wh.	6
971	wallfl.-leaved	— <i>cheirifolia</i>	div.	6
972	Autumnal, 12 v.	— <i>autumnalis</i>	1¼	8-10	6
973	Nos. 960 to 972	— — —	5 6
974	Stock, Queen, p.	<i>Mathiola incana</i>	hhb	pur.	2	5-8	3
975	scarlet	— <i>coccinea</i>	sc.	3
976	white	— <i>alba</i>	wh.	3
977	12 fine var. m.	— <i>pl. var.</i>	div.	1 0
978	Brompton, sc.	<i>simplicicaulis</i>	sc.	3	...	3
979	— white	— <i>alba</i>	wh.	3
980	— purple	— <i>purpurea</i>	pur.	3
981	— carmine, G.	— <i>miniata</i>	car.	6
982	— crimson	— <i>kermesina</i>	er.	6
983	— new copper	— <i>cyprea nova</i>	cop.	6
984	— violet	— <i>violacea</i>	vio.	6
985	— violet, dark	— <i>atro-violacea</i>	d. vi.	6
986	— white, G.	— <i>alba</i>	wh.	3	...	6
987	Nos. 981 to 986	— — —	2 6
988	Imperial, red	— <i>imperialis</i>	red	2	year.	6
989	— purple	— <i>purpurea</i>	pur.	6
990	Sunflower, double	<i>Helianthus annuus</i>	19	55	82	ha	yel.	4	7-9	3
991	Giant	— <i>giganteus</i>	7	...	3
992	5 var. sep.	— — —	div.	1 0
993	Sweet Alyssum	<i>Alyssum maritimum</i>	15	60	85	hpt	wh.	¾	6-9	3
994	Sweet Sultan	<i>Amberbda moschata</i>	19	55	82	hha	pur.	2	7-9	3
995	— white	— <i>alba</i>	wh.	3
996	yellow	— <i>suavolens</i>	yel.	3
997	blush	<i>Crocodylium</i>	bl.	3
998	Nos. 994 to 997	— — —	1 0
999	Sweet William, 20v.	<i>Dianthus barbatus</i>	10	26	136	hp	div.	1½	6-8	6
1000	fine scarlet	— <i>coccineus</i>	sc.	6
1001	Venus' Looking-	<i>Prismatocarpus Spé-</i>	5	25	76	ha	bl.	1	...	3
1002	5 var. sep. [Glass	— — — [culum	div.	1 0
1003	Venus' Navelwort	<i>Cynoglossum linifoli-</i>	72	...	wh.	...	7-8	3
1004	Violet, sweet	<i>Viola odorata</i> [un	147	hpt	div.	...	4-7	6
1005	Russian	— <i>pl. var.</i>	6
1006	Virginian Stock	<i>Malcolmia maritima</i>	15	61	85	ha	li.	½	6-7	3
1007	white	— <i>alba</i>	wh.	3
1008	Wallflower, dark	<i>Cheiranthus Cheiri</i>	hp	br.	2	5-8	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	N. of Flow.	Price.
No.								feet		s. d.
1009	Wallf. Chameleon	— <i>variabilis</i>	15	61	S5	hp	var.	2	5-8	4
1010	double dark	— <i>flöre-pleno</i>	bl.	6
1011	— dwarf	— — <i>nanus</i>	1	...	6
1012	— blue	— — <i>cæruleus</i>	bl.	2	...	1 0
1013	— violet	— — <i>violaceus</i>	vio.	6
1014	lilac	<i>lilacinus</i>	li.	4
1015	yellow	<i>luteus</i>	yel.	3
1016	Nos. 1008 to 1015	— — —	div.	3 0
1017	Winter Cherry	<i>Physalis Alkekengi</i>	5	25	137	ha	wh.	...	7-8	3
1018	Xeranthemum, pur.	<i>Xeranthem. annuum</i>	19	54	82	liha	pur.	3
1019	— white	— <i>album</i> [teatum	wh.	3
1020	— yellow	<i>Elychrisum brac-</i>	yel.	3
1021	— new white	— <i>album novum</i>	wh.	3
1022	— new straw-c.	— <i>stramineum</i>	snl.	3
1023	Nos. 1018 to 1022	— — —	div.	1 0

ADDITIONAL SEEDS.

								s. d.
1024	Anomathæca cruenta	<i>blood-red</i>				<i>per packet</i>		0 6
1025	Antirrhinum Majus, pulchellum	<i>Snapdragon, pretty</i>				"		0 6
1026	— formosum	— <i>beautiful</i>				"		0 6
1027	— quadricolor	— <i>four-coloured</i>				"		0 6
1028	Aquilegia alpina	<i>Columbine, alpine</i>				"		0 4
1029	Arabis alpina	<i>Wall-Cress, alpine</i>				"		0 4
1030	Begonia grandiflora	<i>large-flowered</i>				"		0 6
1031	Bœsea Yermavora	<i>Yermavora</i>				"		0 6
1032	Brugmansia bicolor	(<i>dark-red var.</i>)				"		0 6
1033	Calendrina officinalis, 2 var.	(<i>two fine varieties</i>)				"		0 6
1034	Calla æthiopica	<i>Ethiopian</i>				"		0 6
1035	Campánula barbata, 2 var.	(<i>blue and white, sep.</i>)				"		0 6
1036	gemmafera	<i>gem-flowered</i>				"		0 4
1037	grandis	<i>grand</i>				"		0 6
1038	Crucianella stylôsa	<i>long-styled</i>				"		0 4
1039	Fumaria spicata	<i>spiked (fine)</i>				"		0 3
1040	Galardia Richardsoni	<i>Richardson's</i>				"		0 4
1041	aristata	<i>awned</i>				"		0 3
1042	Magnolia grandiflora	<i>large-flowered</i>				"		1 0
1043	Malope trifida, alba	<i>white</i>				"		0 3
1044	— grandiflora	<i>large-flowered</i>				"		0 3
1045	Malva Niveni	<i>Niven's</i>				"		0 6
1046	Pentstemon Scouleri	<i>Scouler's</i>				"		0 6
1047	Petunia phœnicea, var.	(<i>fine variety</i>)				"		0 6
1048	Passiflora cærulea	<i>blue-flowered</i>				"		0 6
1049	Potentilla splendens	<i>shining</i>				"		0 6
1050	Portulaca Gilliesii	<i>Gillies's</i>				"		0 6
1051	Scutellaria splendens	<i>splendid</i>				"		0 6
1052	Tigridia, sp. cærulea	<i>blue-flowered</i>				"		1 0
1053	Verbascum phœniceum	<i>purple</i>				"		0 3

BULBOUS ROOTS.

		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
							feet		s. d.
*Amaryllis anlica	courtly each	6	25	64	S.	g&s.	1½	7-8	2 6
calyptrata	veiled (brilliant green)	gr.	2 6
psittacina	Parrot	g&s.	2 6
sp. brasiliensis	Brazilian, sp. No. 1.	o. r.	2 6
— No. 2.	— No. 2.	l. r.	2 6
— nova ex Chile	Chilean, sp. No. 1.	G.	dr.	2	...	4 0
— — —	— No. 2.	rose	4 0
— — —	— No. 3.	yel.	4 0
— — — 16 species	including the above	div.	50 0
Anemone coronaria	new Dutch per lb.	13	35	129	hp	...	1½	5-7	12 0
— — —	24 in 6 varieties	6 0
Anomathæca cruenta	blood-red p. doz.	d. r.	1	6-9	2 0
Brodiaea sp. ex Chile	Chilean sp. each	3	25	103	fp	6-7	1 0
Clivia nobilis	noble	6	...	64	S.	r & y.	1½	7-8	7 6
Conanthera, sp. ex Chile	Chilean species	103	fp	...	1	...	1 6
Crinum variabile	variable	64	hlp	...	2	7-9	2 0
Gladiolus blandus	fair	3	...	100	...	fl.	1 0
formosissimus	most beautiful	pur.	12 6
ramosus	branching	rose	7 6
Victoria	Queen Victoria's	se.	12 6
— — — 20 species	including the above	div.	40 0
cardinalis	Cardinal per doz.	se.	5 0
oppositiflorus, Herb.	floribundus	w&r.	5 0
Habranthus ? 4 sp.	1 sp. Valparaiso ea.	6	...	64	G.	7-8	2 6
Griffinia, sp. ex Brazil	Brazilian sp.	S.	pur.	1	...	10 0
Iris susiana	Susian	3	...	100	hlp	str.	2	5	1 0
tuberosa	tuberosus rooted	g&b.	¾	...	1 0
Ixia, pl. sp. et var.	fine mixed per 100	hlp	div.	1-2	5-6	16 0
Lilium longiflorum	long-flowered p. doz.	6	...	64	hp	wh.	2	7-9	4 0
Oxalis Deppei	Deppe's	10	30	118	hlp	red	2 6
Polyanthes tuberosa, fl. p.	Double Tuberoses	6	25	64	...	wh.	3	8-9	4 0
Ranunculus asiaticus	extra fine m. p. 100	13	35	129	hp	div.	1	6-7	7 0
— — —	100 in 100 fine var.	20 0
— sanguineus	scarlet Turban	se.	3 0
— flavus	yellow	yel.	4 0
— 100 Thr. in 5 var.	not incl. in the above	div.	12 0
— — —	white or spotted	1 0
Sparaxis tricolor et var.	20 f. v. mix. per 100	3	25	100	hlp	5-6	20 0
Tecophilæa, 2 sp. ex Chile	two fine new sp.	6	...	64	4 0
Trichonema, 3 sp.	12 in 3 fine sp.	3	...	100	...	div.	...	5-6	5 0
Tropæolum Jarrattii**	Mr. Jarratt's, each	8	...	143	G.	s&y.	6	6-9	3 6
Vioussieuxia glaucodpis	(Peacock Iris) p. doz	3	...	100	hlp	var.	1	5-6	2 6

** Orders for Amaryllis, Brodiaea, Conanthera, Gladiolus, Griffinia, Iris, Ixia, Lilium, Oxalis, Sparaxis, Tecophilæa, Trichonema, Tropæolum and Vioussieuxia are requested before the end of January. * Hippeastrum of Herbert.

KITCHEN GARDEN SEEDS.

Warranted Genuine.

Month of Sow.	oz. ounce; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
3 and 4	Artichoke, best per oz.	1 0	4 to 6	Broccoli, very late d. Danish	1 0
	Asparagus, giant	0 3		6 best for succession	7 0
11 to 6	Beans, early Mazagan p. qt.	0 6	5 to 6	Brussels sprouts, extraft. „	1 0
	dwarf Fan „	0 8	3 to 9	Cabbage, American, per oz.	1 0
	new long pod „	0 8		Carter's new Matchless	2 6
	sword long pod „	0 6		early dwarf per oz.	0 8
	green long pod „	0 6		early Nonpareil „	1 0
1 to 5	largest Windsor „	0 8		— York „	0 8
	green Windsor „	0 8		— Battersea „	0 8
4 to 6	Beet, finest red per oz.	0 4		— East Ham „	0 8
	green „	0 3		— Emperor „	0 8
	silver or Sea kail „	0 6		— heart-shaped „	0 8
	white „	0 3		— Paignton „	0 8
4 to 5	Borecole or Kail, brown „	0 4		— Plaw „	0 8
	green curled „	0 4		— Sugar loaf „	0 8
	purple „	0 4		— Vanaek „	0 8
	variegated, &c. &c. „	0 6		— Wellington, &c. „	0 8
4 to 6	Broccoli, earliest Cape p. „	1 0		large Imperial „	0 8
	Improved white Cape „	1 6		— Battersea „	0 8
	Grange's white „	1 0		6 best sorts, 1 oz. each	5 0
	early cauliflower „	1 0		Red Dutch „	0 8
	— Belvidere „	1 0		Cabbage, drumhd. Savoy „	0 6
	— cream-coloured „	1 0		large green Savoy „	0 6
	— purple „	1 0		yellow Savoy „	0 6
	— white „	1 0		Bragauza „	0 8
	— Malta „	1 0		Pe-tsay or Chinese pa.	1 0
	— Imperial „	1 0		Turniprooted ab. g. oz.	0 6
	— sprouting „	1 0		Turniprooted m. g. „	0 6
	— Walcheren „	1 6		Chou de Milan „	0 8
	Brinestone „	1 0	2 to 8	Carrot, earliest Horn	0 3
	dwarf Russian „	1 0		long Surrey „	0 3
	Hampton Court „	1 0		— orange „	0 3
	Howden's superb „	1 0		Altringham „	0 3
	Impregnated white „	1 0	2 to 8	Cauliflower, early Eng.	1 6
	Invisible „	1 0		late English „	1 6
	Knight's protecting „	1 0		early Asiatic „	1 6
	Portsmouth „	1 0		late Cyprus „	1 6
	Winter Imperial „	1 0	3 to 6	Celery, solid white	0 6
	White Southampton	1 0		solid red „	0 6
	late white „	1 0		giant red „	1 0
	— Miller's „	1 0		giant white „	1 0
	— purple close-l. „	1 0		Celeri de Tours „	1 0
	— large white „	1 0		Seymour's white „	1 0
	— large purple „	1 0		large root. Celeriac „	0 6
	— American, ext. „	1 0		Cardoon, Spanish „	0 6

Month of Sow.	oz. ounce ; qt. quart.	Price.	Month of Sow.	pa. packet ; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
3 to 6	Chervil, curled per oz.	0 6	1 to 8	Lettuce, Drumhead cab. oz.	1 0
4 to 6	Colewort, Haw Green "	0 6		Grand Admiral ca. "	1 0
5 to 7	Corn Salad "	0 3		Imperial cabbage "	1 0
2 to 9	Cress, common, per quart	1 0		Malta cabbage "	1 0
	triple, curled "	1 6		Marscilles cabbage "	1 0
	Cress, golden "	2 0		Large Mogul cab. "	1 0
	Amer. perennial p. oz.	0 3		white-seeded "	1 0
1 to 6	Cucumber, fine frame p. pa.	0 6		Hammersmith, hardy*	1 0
	black spine, 14 inches	0 6		Tennis ball "	1 0
	fine long prickly "	0 6		white cabbage*	0 6
	Southgate "	0 6	4 and 5	New Cape cabbage, pa.	1 0
	Rochford "	0 6		Love apple or Tomato p. pa.	0 3
	fine Ridge "	0 6		yellow "	0 3
	short prickly "	0 3		<i>Melon Seeds, per packet.</i>	
	green & wh. Turkey, "	0 6	1 to 5	Melon, Beechwood, extra	1 0
	Cuthill's black spine	1 0		Duncan's fine g. fl.	1 0
	Hero of Surrey "	1 0		Golden Cassabar	1 0
	fine new frame "	1 0		Green-fleshed, fine m.	0 6
	Manchester prize "	0 6		Hardie's new Cantal-	} 2 6
	improved Manchester	1 0		lupe, the earliest	
	Roman Emperor "	1 6		Netted Cantalope, mix.	1 0
	Sion House "	1 0		Niel's extra fine g. f.	1 0
	Snow's Horticultural	1 0		Persian Melon	0 6
	superb white spine "	1 0		Queen's Pocket	1 0
	Walker's Rambler "	1 6		Scarlet-flesh, fine m.	0 6
	— Traveller "	1 6		Scarlet Rock	0 6
	— superba "	1 6		Succade Melon, extra	1 0
	Weedon's prize "	1 0		White Frogmore	0 6
	The last 13 sorts, 12s.			Windsor prize, scarlet	0 6
6 to 8	Endive, green curled oz.	0 8		Windsor prize, green	0 6
	white curled "	0 8		6 best sorts	6 0
	Batavian, white "	0 8		<i>Water Melons.</i>	
	— green "	0 8		Citron water Melons }	} 0 6
5 to 7	French beans, all sorts per qt.	1 6	1 to 5	for preserving only }	
3 to 5	Leek, London Flag p. oz.	0 8		Imperial, fine flavour	0 6
1 to 8	Lettuce, Bath Cos*	1 0		Long Carolina	0 6
	new black-seeded "	1 0		Long Island	0 6
	blood Cos "	1 0		Long Mountain }	} 0 6
	brown Cos*	1 0		sprout,* very large }	
	black seed g. Cos. "	1 0		Mixed	0 6
	dwarf Siberian "	1 0	3 to 9	Mustard, white p. quart	1 0
	Egyptian Cos "	1 0		brown "	1 0
	Florence Cos "	1 0	3 to 8	Onion, blood-red per oz.	0 6
	green Cos "	1 0		Deptford "	0 6
	new black-seeded*	1 0		Globe "	0 6
	Paris Cos "	1 0		— new white "	0 6
	spotted Cos "	1 0		James' keeping "	0 6
	white Cos "	1 0		Lisbon*	0 6
	Silesia "	1 0		Portugal, white "	0 6
	brown Dutch*	1 0			
* Best for Autumn sowing.					

Month of Sow.	oz. ounce ; qt. quart.	Price.	Month of Sow.	pa. packet ; bush. bushel.	Price.
		s. d.			s. d.
3 to 8 * Best for Autumn sowing.	Onion, Reading, white, p. oz.	0 6	1 to 8	Radish, early short topt p. qt.	2 0
	Silver-skiinned "	1 0		long Salmon "	2 0
	Spanish, white* "	0 6		white Naples "	2 6
	— brown "	0 6		purple Salad "	1 6
	Strasburg "	0 6		red Turnip "	2 0
	Tripoli* "	1 0		white Turnip "	2 0
	Two-bladed "	0 6		yellow "	2 6
	Welch* "	0 6		olive-shaped per oz.	0 3
	7 to 5 Parsley, curled "	0 3		Black Spanish "	0 3
	extra curled "	0 4		Rampion per pa.	0 6
	Hambro, rooted "	0 4		Rape, Salad per qt.	1 0
2 to 5	Parsnip, hollow-crowned, "	0 3	3 to 5	Rhubarb, fine mixed per oz.	0 6
9 to 5	Peas, early Kent p. qt.	1 0		Giant per pa.	0 6
	— Race Horse "	1 0		Tobolsk "	0 6
	— Prince Albert "	5 0		Salsafy per oz.	0 8
	— Warwick "	0 8		Scorzonera "	0 8
	— s. blossom Frame "	0 8		Sea Kail per qt.	2 0
	— d. blossom do. "	0 8		Skirret per oz.	0 8
	— nubble "	0 8		Sorrel "	0 6
	— Charlton "	0 6		2 to 6 Spinach, round per qt.	1 0
	— Bishops dwarf "	1 0		2 to 10 prickly "	1 0
	— Auvergne "	1 0		broad Flanders "	1 0
3 to 6	Egg, large "	0 8	3 to 5	New Zealand per oz.	0 6
	Marrow, dwarf wh. "	0 8	2 to 5	Squash, 6 var. per pa.	0 6
	— tall white "	0 8	2 to 6	Turnip, early Dutch per oz.	0 3
	— dwarf green "	0 8		early Mousetail "	0 3
	— tall green "	0 8		— six week "	0 3
	— early green "	0 8	3 to 9	— stone "	0 3
	— Woodford's green "	0 8		yel. Altringham "	0 3
	— Grotto or oyster "	0 8		— Maltese "	0 4
	— Royal Victoria "	1 0		— stone "	0 3
	Knight's marrow, d. w.	1 0	3 to 5	Teltau, German "	0 6
	tall white "	1 0		yel. Scarisbrick per pa.	0 6
	new dwarf green "	1 0		Vegetable Marrow "	0 6
	tall green "	1 0		SWEET & POT HERBS.	
	new Wrinkle "	1 6		4 to 6 Balm per pa.	0 3
	Matchless Marrow "	0 8		Basil, sweet "	0 3
	Prussian, blue "	0 8		— bush "	0 3
	Prussian, white "	0 8		Bugloss "	0 3
	Groom's superh "	1 0		Burnet "	0 3
	Imperial, Bedman's, "	0 8		Clary "	0 3
	Scimitar, blue "	0 8		Capsicum and Chilis "	0 6
	— white "	0 8		Fennel "	0 3
	Spanish dwarf "	0 8		Hyssop "	0 3
	— new blue "	1 0		Lavender "	0 3
	white Rounceval, &c., "	0 8		Marjoram, sweet "	0 3
4 to 6	Potato Seed, best pa.	1 0		— pot "	0 3
5 and 6	Purslain, green per oz.	0 6		Marigold, pot "	0 3
1 to 8	Radish, long frame per qt.	2 6		Rosemary "	0 3
	early scarlet "	2 0			

Month of Sow.	oz. ounce; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
4 to 6	Sage per pa.	s.d. 0 3		ROOTS, PLANTS, &c.	
	Savory, Summer "	0 3		<i>The Prices variable.</i>	
	— Winter "	0 3		Artichokes per peck	s.d.
	Thyme "	0 3		Asparagus, 1 & 2 yrs. per 100,	3 0
				3 & 4 years "	4 0
	FRUIT SEEDS.			Grayson's giant "	5 0
	Strawberry, Red Alpine, pa.	0 6		Chives "	
	— white "	0 6		Garlic per lb.	1 0
	— Keen's seedling "	0 6		Horse Radish per doz.	
	— Elton Pine, &c. "	0 6		Mushroom Spawn per bush.	4 0
	Raspberry, best red "	0 6		Potato, early forcing, all sorts	
	<i>And Seeds of other Fruits,</i>			Rhubarb, Tobolsk per doz.	12s
	<i>Physical Herbs, &c.</i>			Myatt's Victoria each	2 0
				Rocamboles per lb.	
				Shallots "	1 0
				Sea Kail per 100.	
				Strawberries, various "	
				Raspberries, all sorts.	

SUNDRY PLANTS.

To prevent his sending duplicates of sorts already possessed, J. C. requests a list of such as are not to be included; he will then guarantee the selection to prove in every respect satisfactory.

	£	s.	d.
Carnations, extra fine prize flowers, named, per 12 pair	1	4	0
————— 12 single plants.....	0	14	0
Picotees, extra fine, white grounds, per 12 pair.....	1	0	0
————— 12 single plants.....	0	12	0
————— yellow grounds, per 12 pair	1	4	0
————— per 12 single plants	0	14	0
Chrysanthemums, 12 extra fine sorts, named	0	18	0
————— 12 very fine older sorts	0	10	0
Double Dahlias, pot roots, warranted fine sorts	1	0	0
Fuchsias, 12 extra fine sorts, named.....	1	0	0
Geraniums, 12 extra fine sorts	3	3	0
————— 12 very fine sorts	2	2	0
————— 12 fine sorts	1	0	0
Heartsease or Pansies, 12 extra fine sorts, named ...	1	0	0
————— 12 very good varieties, named	0	5	6
Verbenas, 12 beautiful sorts, named.....	12s.	to 0	15 0

AGRICULTURAL SEEDS.

I. The following consist principally of Grasses.

		per lb.	s. d.
<i>Achillea millefolium</i>	<i>Yarrow</i>		
<i>Agrostis alba</i>	<i>Marsh Bent Grass or Fiorin</i>	per bush.	
<i>Alopecurus pratensis</i>	<i>Meadow Foxtail</i>	"	
<i>Anthoxanthum odoratum</i>	<i>Sweet Vernal</i>	per lb.	
<i>Avena flavescens</i>	<i>Yellow Oatgrass</i>	per bush.	
<i>Cynosurus cristatus</i>	<i>Crested Dogstail Grass</i>	per lb.	
<i>Dactylis glomerata</i>	<i>Rough Cock's foot</i>	"	
<i>Festuca duriusecula</i>	<i>Hard Fescue</i>	per bush.	
<i>elatior</i>	<i>Taller</i>	"	
<i>liliacea</i>	<i>Spiked</i>	"	
<i>heterophylla</i>	<i>Various-leaved Fescue</i>	"	
<i>ovina</i>	<i>Sheep's</i>	"	
<i>pratensis</i>	<i>Meadow</i>	"	
<i>tenuifolia</i>	<i>Slender-leaved</i>	"	
<i>Holcus lanatus</i>	<i>Soft Grass</i>	"	
<i>Lolium perenne</i>	<i>Perennial Rye-grass</i>	"	
var. <i>sempervirens</i>	<i>Evergreen</i>	"	
<i>italicum</i>	<i>Italian</i>	"	
<i>Medicago lupulina</i>	<i>Trefoil</i>	per lb.	
<i>sativa</i>	<i>Lucerne</i>	"	
sp. <i>gigantea</i>	<i>Bokhara Clover</i>	per packet	1 0
<i>Onobrychis sativa</i>	<i>Cultivated Sainfoin</i>	per bush.	
<i>Phleum pratense</i>	<i>Meadow Cat's-tail, or Timothy Grass</i>	per lb.	
<i>Plantago lanceolata</i>	<i>Rib Grass</i>	"	
<i>Poa nemoralis</i>	<i>Wood Meadow Grass</i>	"	
<i>pratensis</i>	<i>Smooth-stalked Meadow Grass</i>	"	
<i>trivialis</i>	<i>Rough-stalked Meadow Grass</i>	"	
<i>Potterium sanguisorba</i>	<i>Burnet</i>	"	
<i>Trifolium medium</i>	<i>Cow Grass</i>	"	
<i>pratense</i>	<i>Red Clover</i>	"	
<i>repens</i>	<i>White Dutch Clover</i>	"	
<i>incarnatum</i>	<i>Scarlet Clover</i>	"	
— — —	<i>Fine mixed Grass Seed for Lawns, &c.</i>	"	
— — —	<i>Fine " " for permanent pasture</i>	"	
<i>Vicia sativa, æstivâlis</i>	<i>Summer Tares</i>	per bush.	
var. <i>hyemâlis</i>	<i>Winter Tares</i>	"	

II. Principally cultivated for Cattle.

<i>Brassica oleracea, capitata, var.</i>	<i>Large Drumhead Cabbage</i>	per lb.	2 0
— — —	<i>Large Scotch Cabbage</i>	"	2 0
— — — <i>vulgâris</i>	<i>Cesarian, or Cow Cabbage</i>	"	2 0
— <i>campestris, Rutabaga</i>	<i>Swedish Turnip, yellow</i>	"	0 9
— — — —	<i>purple-topped, yellow</i>	"	0 9
— — — —	<i>Thorpland's and Skirving's do.</i>	"	1 6
— <i>Râpa arvensis</i>	<i>Turnip, white-topped round</i>	"	0 9
— — — —	<i>red-topped round</i>	"	0 9
— — — —	<i>green-topped round</i>	"	0 9
— — — —	<i>white-topped globe</i>	"	0 9
— — — —	<i>red-topped globe</i>	"	0 9
— — — —	<i>purple-topped Scotch</i>	"	0 9
— — — —	<i>white-topped tankard</i>	"	1 0
— — — —	<i>green-topped tankard</i>	"	0 9
— — — <i>hybrida</i>	<i>Dale's hybrid, &c. &c.</i>	"	1 0

Bèta vulgaris, eampestris	Mangel Wurzel, red or yellow . per lb.	s. d.
— — —	globe do. do. "	1 6
Cichòrium Intybus	Succory	" 1 6
Daucus Caròta, arvensis	Carrot, large Altringham	" 2 6
— — — albus	— white Belgian, true	" 5 0
Spartium scoparium	Broom	" "
Ulex europæa	Furze, Gorse or Whin	" 2 0

III. Principally cultivated for the Seeds.

Avèna sativa, Oats, sorts, per bush.	Faba vulgaris, Beans, sorts, p. bush.
Hordeum vulgare, Barley, " "	Phalaris canariensis, Canary "
Triticum sativum, Wheat, " "	Polygonum Fagopyrum, Buck Wh.
Sceale ceræale, Rye, " "	Sinapis alba, w. Mustard, p. bush.
Zea Mais, Indian Corn, " "	Sinapis nigra, Brown Mustard,,

Shreds, Garden Nails, Knives, &c.

Russia Mats, Garden Utensils, Netting, &c.—Roses, Shrubs, Fruit Trees, &c. &c.
Seeds carefully packed for Exportation.

** A Catalogue of genuine Dutch Bulbs will be published in Autumn.

List of a few important and useful works on Botany, &c., to be had of all Booksellers.

- LOUDON'S Arboretum et Fruticetum Britannicum; or the Hardy Trees and Shrubs of Britain. 8 vols. 8vo. 4 of letter-press, and 4 of plates. 10l.
— Abridged Edition, 1 vol. 8vo. 2200 pages and 2200 engravings, 2l. 10s.
— Encycl. of Cottage, Farm, and Villa Architecture. 1 vol. 2000 Engravings. 3l.
— Supplement to do. 8vo, numerous engravings. 3s.
— Suburban Gardener and Villa Companion. 1 vol. 8vo. 1l.
— REPTON'S Landscape Gardening, &c. 1 vol. 8vo. numerous Plates, 1l. 10s. plain, 3l. coloured.
— Hortus Lignosus Londinensis. 1 vol. 8vo. 7s.
— The Gardener's Magazine and Register of Rural and Domestic Improvements. In 8vo. Numbers, monthly. 1s. 6d. each.
— The Suburban Horticulturist, or an Attempt to teach the science of Horticulture, and the management of the Fruit, Kitchen, and Forcing Garden, to persons who have had no previous knowledge or experience in those departments. 1 vol. 8vo. 380 Engravings. 15s. An excellent work.
The Annals and Magazine of Natural History; monthly. 2s. 6d. each.
Dr. LINDLEY'S Botanical Register, monthly. 3s. 6d. each.
— Sertum Orchidæacum, splendidly coloured, 10 parts, 25s. each.
PAXTON'S Magazine of Botany, monthly. 2s. 6d. each.
— Pocket Botanical Dictionary. 15s.
Mrs. LOUDON'S Ladies' Flower Garden, monthly. 2s. 6d. each.
— Companion to ditto. 2nd edition, 1 vol. post 8vo. 6s.
— The Ladies' Magazine of Gardening. 8vo. monthly. col. Plates. 6d. each.

DE CANDOLLE'S Vegetable Organography, translated by Boughton Kingdon, Esq. 2 vols. 8vo. 23 Plates. 1l. 8s.

KOLLAR'S Treatise on Insects injurious to the Gardener, &c. 1 vol. 8vo. 7s.

TAYLOR'S Bee-Keeper's Manual; or Practical Hints, &c. 12mo. 4s.

Ladies and Gentlemen in giving orders, to prevent mistakes, are requested to mention the date of the Catalogue, as the numbers are changed every year.

Printed by R. and J. E. Taylor, Red Lion Court, Fleet Street.